

Publication 122 January 2025 Instructions for Farmland Assessments

About this publication

Pub-122, Instructions for Farmland Assessments, is issued according to Section 10-115 of the Property Tax Code which states, "The Department shall issue guidelines and recommendations for the valuation of farmland to achieve equitable assessment within and between counties."

Table of Contents	
Definition of Land Use	Page 2
How is farmland assessed?	Page 3
What are the adjustment factors?	
What are the guidelines for alternative uses?	Pages 4-6
Other guidelines	Pages 6-8
Assessment of Farmland	Page 9
Individual soil weighting method	Pages 9-13
Table 1 Certified Values for 2025 Farmland Assessments	Page 14
Table 2 Productivity of Illinois Soils	Pages 15-35
Table 3 Slope & Erosion Adjustment Table	Page 36
Assessment of Farm Homesites and Rural Residential Land	Page 37
Assessment of farm residences	Page 37
Assessment of farm buildings	Pages 37-39
Farm building schedules	-
For information or forms	

The information in this publication is current as of the date of the publication. The contents of this publication are informational only and do not take the place of statutes, rules, or court decisions. For many topics covered in this publication, we have provided a reference to the Illinois Property Tax Code for further clarification or more detail at 35 ILCS 200/1 *et seq.*

Get more information and forms faster and easier at tax.illinois.gov

Other Publications for Assessors:

Publication 123 Instructions for Residential Schedules
Publication 124 Construction Terminology
Publication 126 Instructions for Commercial and Industrial Cost Schedules
Publication 127 Component-in-Place Schedules
Publication 135 Preferential Assessments for Wooded Acreage

Publication 122 January 2025 Instructions for Farmland Assessments

Definition of Land Use

Section 10-125 of the Property Tax Code identifies cropland, permanent pasture, other farmland, and wasteland as the four types of farmland and prescribes the method for assessing each. State law requires cropland, permanent pasture, and other farmland to be defined according to US Bureau of Census definitions. The following definitions comply with this requirement.

Cropland includes all land from which crops were harvested or hay was cut; all land in orchards, citrus groves, vineyards, and nursery greenhouse crops; land in rotational pasture, and grazing land that could have been used for crops without additional improvements; land used for cover crops, legumes, and soil improvement grasses, but not harvested and not pastured; land on which crops failed; land in cultivated summer fallow; and idle cropland.

Permanent pasture includes any pastureland except woodland pasture and pasture qualifying under the Bureau of Census' cropland definition which includes rotational pasture and grazing land that could have been used for crops without additional improvements.

Other farmland includes woodland pasture; woodland, including woodlots, timber tracts, cutover, and deforested land; and farm building lots other than homesites.

Wasteland is that portion of a qualified farm tract that is not put into cropland, permanent pasture, or other farmland as the result of soil limitations and not as the result of a management decision.

Acro	Acronyms used in this publication					
AEV CCAO CREP CRP CV EAV ICSS LF NRCS oc PI PRC RCN REL SF SFFA SWCD VFS	Agricultural economic value Chief county assessment officer Conservation Reserve Enhancement Program Conservation Reserve Program Contributory value Equalized assessed value Illinois Cooperative Soil Survey Linear foot Natural Resources Conservation Service On center Productivity index Property record card Replacement cost new Remaining economic life Square foot Square foot Square foot floor area Soil and Water Conservation District Vegetative filter strip					
	Note: For definitions of common construction terms used in this Publication, see Publication 124, Construction Terminology.					

How is farmland assessed?

Cropland is assessed according to the equalized assessed value (EAV) of its adjusted soil productivity index (PI) as certified by the Department. Each year, the Department supplies a table that shows the EAV of cropland by PI.

Note See Page 14 for Certified Values for 2025 Farmland Assessments.

Cropland with a PI below the lowest PI certified by the Department is assessed as follows:

- **Step 1** Subtract the EAV of the lowest certified PI from the EAV for a PI that is five greater.
- **Step 2** Divide the result of Step 1 by 5.
- **Step 3** Find the difference between the lowest PI for which the Department certified a cropland EAV and the PI of the cropland being assessed.
- Step 4 Multiply the result of Step 2 by the result of Step 3.
- **Step 5** Subtract the result of Step 4 from the lowest EAV for cropland certified by the Department.
- Step 6 The EAV of the cropland being assessed will either be the result of Step 5 or one-third of the EAV of cropland for the lowest certified PI, whichever is greater.
- Permanent pasture is assessed at one-third of its adjusted PI EAV as cropland. By statute, the EAV of permanent pasture cannot be lower than one-third of the EAV per acre of cropland of the lowest PI certified by the Department.
- Other farmland is assessed at one-sixth of its adjusted PI EAV as cropland. By statute, the EAV of other farmland cannot be lower than one-sixth of the EAV per acre of cropland of the lowest PI certified by the Department.
- Wasteland is assessed according to its contributory value to the farm parcel. In many instances, wasteland contributes to the productivity of other types of farmland. Some land may be more productive because wasteland provides a path for water to run off or a place for water to collect. Wasteland that has a contributory value should be assessed at one-sixth of the EAV per acre of cropland of the lowest PI certified by the Department. When wasteland has no contributory value, a zero assessment is recommended.

What are the adjustment factors?

- Adjustment for slope and erosion. Use the Slope and Erosion Adjustment Table on Page 36 to make adjustments to the PI for slope and erosion.
- Adjustment for flooding. Adjust the PI of the affected acreage only, which suffers actual, not potential, crop loss due to flooding as prescribed in Bulletin 810, published by the University of Illinois, College of Agriculture, Cooperative Extension Service. The following text is taken directly from Bulletin 810.

"Estimated yields and productivity indices given in Table 2 apply to bottomland soils that are protected from flooding or a prolonged high water during the cropping season because of high water in stream valleys. Soils that are subject to flooding are less productive than soils that are protected by levees. The frequency and severity of flooding are often governed by landscape characteristics and management of the watershed in which a soil occurs. For this reason, factors used to adjust productivity indices for flooding must be based on knowledge of the characteristics and history of the specific site. Wide variation in the flooding hazard, sometimes within short distances in a given valley, require that each situation be assessed locally.

If the history of flooding in a valley is known to have caused 2 years of total crop failures and 2 years of 50% crop losses out of ten years, for example, the estimated yields and productivity indices of the bottomland soils could be reduced to 70% of those given in Table 2. Estimated crop yields and productivity indices for upland soils subject to crop damage from long-duration ponding have already been reduced accordingly in Table 2."

Flood adjustment procedures should

- identify the actual acres affected by flooding;
- determine, from yield data, the extent of crop loss (in bushels) caused in each flood situation;
- adjust the PI of the affected soils by a percentage equal to the percentage of crop loss caused by each flooding situation over a multi-year (preferably ten-year) period; and
- recompute the flood adjustments annually. The continuous collection and analysis of yield data is needed in order to identify and compensate for changes in a parcel's flooding history.

- Adjustment for drainage district assessments. The EAV of farmland acreage that is subject to a drainage district assessment must be adjusted. Divide the amount equal to 33 1/3 percent of the per acre drainage district assessment by the five-year Federal Land Bank mortgage interest rate for that assessment year. Subtract the result from the EAV. Since drainage district assessments may vary greatly from year to year, it is advisable to use a five-year average of per-acre drainage district assessments when making this adjustment.
- Adjustments for soil inclusions, droughty soil and ponding. Do not make an adjustment for soil inclusions, droughty soil, or ponding. Long-term yield averages taken at many locations already include these effects. Only unusual conditions of large amounts of inclusions with differing productivity potential would be likely to affect the productivity of a local area.

When ponding consistently produces a crop loss, make a flooding adjustment.

What are the guidelines for alternative uses?

- Roads. Do not assign a value to acreage in dedicated roads unless a portion of the right-of-way is in a farm use. In this case, assess this portion.
- Creeks, streams, rivers, and drainage ditches. Assess acreage in creeks, streams, rivers, and drainage ditches that contribute to the productivity of a farm as contributory wasteland. Assess acreage that does not contribute to the productivity of a farm as non-contributory wasteland.
- Grass waterways and windbreaks. Assess acreage in grass waterways and windbreaks as other farmland.
- Ponds and borrow pits. Assess ponds and borrow pits used for agricultural purposes as contributory wasteland. If a pond or borrow pit is used as part of the homesite, assess it with the homesite at 33 1/3 percent of market value.
- **Power lines.** Generally, no adjustment is made.
- Lanes and non-dedicated roads. Assess acreage in lanes and non-dedicated roads the same as the adjacent land use. This could be as cropland, permanent pasture, other farmland, or wasteland.
- Assessment of land under an approved forestry management plan. Land that is being managed under the Illinois Forestry Development Act (FDA), as approved by the Illinois Department of Natural Resources, is considered "other farmland" for assessment purposes. Land assessed under the FDA is excluded from both the two-year and primary-use requirements. Any change in assessed value resulting from a newly-approved FDA plan begins on January 1 of the assessment year

immediately following the plan's initial approval date (whether or not trees have been planted). Changes in assessed value resulting from amendments or cancellations of existing plans also begin as of January 1 of the assessment year following the change. If the effective date of an FDA plan is January 1, then that plan would be eligible for an FDA assessment for that assessment year. Once the chief county assessing officer (CCAO) receives official notification that a tract has been granted approved FDA status, this status remains in effect until notified otherwise or until the property is sold. For more information, see Publication 135, Preferential Assessments for Wooded Acreage.

Assessment of land in vegetative filter strips. Land in all downstate counties that has been certified by the Soil and Water Conservation District (SWCD) as being in an approved vegetative filter strip (VFS) is eligible, upon application, to be assessed at one-sixth of its soil PI EAV as cropland. Land in Cook County that has been certified by the SWCD as being in an approved VFS is eligible, upon application, to be assessed according to Section 10-130 of the Property Tax Code. Land assessed as a VFS is excluded from both the two-year and primary-use requirements.

The effective date of the initial legislation that creates the assessment provision for a VFS is January 1, 1997. Assessment as a VFS begins in the first assessment year after 1996, for which the property is in an approved VFS use on the annual assessment date of January 1. For example, land that is in a VFS during a portion of 2023, and is certified by the SWCD as being in an approved status on January 1, 2025, is eligible for assessment as a VFS for the 2025 assessment year.

> Land in Christmas tree production. Land used for growing Christmas trees is eligible for a farmland assessment provided it has been in Christmas trees or another qualified farm use for the previous two years and that it is not part of a primarily residential parcel. If Christmas trees are grown on land that either was being cropped prior to tree plantings or land that ordinarily would be cropped, then the cropland assessment should apply until tree maturity prevents the land from being cropped again without first having to undergo significant improvements (e.g., clearing). At this point, the "other farmland" assessment should apply. If Christmas trees are grown on land that was neither in crop production prior to tree planting nor would ordinarily be cropped, then the "other farmland" assessment instantly applies.

Land in Conservation Reserve Program (CRP). Land in the CRP is eligible for a farmland assessment provided it has been in the CRP or another qualified farm use for the previous two years and is not a part of a primarily residential parcel. CRP land is assessed according to its use. Land enrolled into the CRP can be planted in grasses or trees. If grass is planted, this land will be classified as cropland (according to the Bureau of Census' cropland definition). If trees are planted, then the cropland assessment should apply until tree maturity prevents the land from being cropped again without first having to undergo significant improvements (*e.g.*, clearing). At this point, the "other farmland" assessment should apply.

- Land in Conservation Reserve Enhancement Program (CREP). Land in the CREP is eligible for a farmland assessment provided it has been in the CREP or another qualified farm use for the previous two years and is not a part of a primarily residential parcel. Land in an active CREP program is assessed the same as CRP.
- Horse boarding and training facilities. The boarding and training of horses (regardless of the use for which the horses are being raised) is generally considered to meet the "keeping, raising, and feeding" provisions of the farm definition pertaining to livestock. Therefore, such a tract would be eligible for a farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years; and, it is not part of a primarily residential parcel.
- Assessment of tree nurseries. Tree nurseries are included in the statutory definition of a farm. Such a tract would be eligible for a farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years and it is not part of a primarily residential parcel. If trees are grown on land that either was being cropped prior to tree planting or land that ordinarily would be cropped, then the cropland assessment should apply until tree maturity prevents the land from being cropped again without first having to undergo significant improvements (e.g., clearing). At this point, the "other farmland" assessment should apply. If trees are grown on land that was neither in crop production prior to tree planting nor would ordinarily be cropped, then the "other farmland" assessment would instantly apply.
- Assessment of greenhouse property. Greenhouses are included in the statutory definition of a farm. To qualify as a greenhouse, a building must be used for cultivating plants. A tract that qualifies as greenhouse property is eligible for a farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years and it is not part of a primarily residential parcel. Greenhouses are assessed according to their contributory value, and greenhouse lots are assessed as "other farmland."
- Wildlife farming. Wildlife farming is included in the statutory definition of a farm. To qualify for wildlife farming, a tract must comply with the "keeping, raising, and feeding" provisions of the farm definition. The mere keeping of a wildlife habitat does not meet these provisions. Hunting may be a component of wildlife farming; but, hunting, in itself, does not constitute wildlife farming. Neither is just the purchase and release of adult

game for hunting considered wildlife farming. Land that is actively engaged in the farming of wildlife is eligible for a farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years and it is not part of a primarily residential parcel. Any such land that was either previously being cropped or ordinarily would be cropped, would warrant a cropland assessment until additional improvements (*e.g.*, clearing) would be required before the land could be cropped again. At this point, the other farmland assessment would apply. Any such land that neither was being cropped nor ordinarily would be cropped, would warrant an "other farmland" assessment.

- Fish farming. Fish farming is included in the statutory definition of a farm. To qualify for fish farming, a tract must comply with the "keeping, raising, and feeding" provisions of the farm definition. Fishing may be a component of fish farming; but, fishing, in itself, does not constitute fish farming. Neither is just the purchase and release of fish for fishing, a practice often referred to as "put and take," considered fish farming. Land that is actively used for the farming of fish is eligible for a farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years and it is not part of a primarily residential parcel.
- Compost sites. Composting, generally, does not meet the farm definition. However, an on-farm composting site, where the finished product is for on-farm use, does qualify for the farmland assessment. If such a composting site is situated on land that either was being cropped prior to the composting activity or that ordinarily would be cropped, then the cropland assessment applies until the composting activity would prevent the land from being cropped again without first having to undergo significant improvements. At this point, the contributory wasteland assessment should apply. If the composting site is situated on land that was neither in crop production prior to composting activity nor would ordinarily be cropped, then the contributory wasteland assessment should instantly apply.
- Sewage sludge disposal sites. Determining the proper assessment classification for farmland that is also used as a sewage sludge disposal site depends upon circumstances pertaining to the particular site, such as
 - the application rate of the sludge,
 - whether or not the application of the sludge interferes with farming operations (sludge can be applied before a crop is planted, directly to a crop, after a crop is harvested, or in a manner so intensive as to prohibit farming), or
 - whether or not the owner or operator of the site receives financial payment.

The overriding factor to determine whether such a dually-used tract is eligible for a farmland assessment is whether or not the sludge is being applied at agronomic rates (*i.e.*, rates which are suitable for the growth and development of crops). If nonfarm sludge is applied to an otherwise eligible farm tract at an agronomic rate, then the farm classification applies. If, however, cessation of farming occurs as a result of sludge being applied at a nonagronomic rate, then the farm classification may not apply. Even if application of nonfarm sludge at a nonagronomic rate does not interfere with farming operations, income generated from this nonfarm activity may conflict with the law's sole-use requirement.

The Illinois Environmental Protection Agency, Water Pollution Control Division, should be contacted at **217 782-0610** for information pertaining to whether or not nonfarm sludge is being applied at an agronomic rate.

Other guidelines

"Idle land" is land that is not put into a qualified farm use as the result of a management decision, including neglect. Idle land differs from wasteland, which is defined as "... that portion of a qualified farm tract which is not put into cropland, permanent pasture, or other farmland as the result of soil limitations and not as a result of a management decision."

How to assess idle land depends upon whether or not the idle land

- is part of a farm,
- could be cropped without additional improvements, and
- is larger or smaller than the farmed portion of the parcel or tract.

Guidelines for the assessment of idle land are as follows:

- If idle land is **not** part of a farm or not qualified for a special assessment (*i.e.*, open space), treat it as nonfarm and assess it at market value according to its highest and best use.
- If idle land is part of a farm, and could be cropped without additional improvements, it may be assessed as cropland if the idle portion of the parcel is smaller than the farmed portion of the parcel.
- If idle land is part of a farm but could not be cropped without additional improvements, it may be assessed as wasteland if the idle portion of the parcel is smaller than the farmed portion of the parcel.
- Generally, when the idle portion of the parcel is larger than the farmed portion of the parcel, the idle portion is assessed at market value according to its highest and best use. However, when a farm tract consists of multiple tax parcels, the cropland or wasteland assessment may apply to the idle portion

of a predominantly (or exclusively) idle parcel if the idle portion of the overall farm tract is smaller than the farmed portion of the tract.

Distinguishing between idle land (that is not farmland) and land that may qualify under the farm definition as "forestry" may be difficult. However, to qualify as forestry, a wooded tract must be systematically managed for the production of timber.

Primary use provision of the farm definition. The statutory farm definition (35 ILCS 200/1-60) states: "For purposes of this Code, 'farm' does not include property which is primarily used for residential purposes even though some farm products may be grown or farm animals bred or fed on the property incidental to its primary use." Because the farm definition prohibits farmed portions of primarily residential parcels from receiving a farmland assessment, assessors must make primary-use determinations on parcels that contain both farm and residential uses.

The determination of primary-use must have a rational basis and be uniformly applied in the assessment jurisdiction. This recommended guideline is intended to supplement the assessor's judgment and experience and to provide advice and direction to assessors to determine whether or not a parcel with both farm and residential uses is used primarily for residential purposes. This guideline does not apply to tracts assessed under the forestry management or vegetative filter strip provisions of the Property Tax Code, nor does it apply to parcels that do not contain any residential usage.

According to this guideline, the primary use of a parcel containing only intensive farm and residential uses is residential unless the intensively-farmed portion of the parcel is larger than the residential portion of the parcel. For purposes of this guideline, "intensive farm use" refers to farm practices for which the per-acre income and expenditures are significantly higher than in conventional farm use. Intensive farm use is typically more labor-intensive than conventional farm use. According to this guideline, the primary use of a parcel containing only conventional farm and residential uses is residential unless the conventionally-farmed portion of the parcel is larger than the residential portion of the parcel. These presumptions may be rebutted by evidence received that the primary use of the parcel is not residential. For purposes of this guideline, "conventional farm use" refers to the tending of all major and minor Illinois field crops, pasturing, foresting, livestock, and other activities associated with basic agriculture.

If a parcel has a use combination of residential, conventional farm, and intensive farm, the determination of whether or not the primary use is residential must be made by applying the criteria for each type of farm use described in the preceding paragraphs and then weighing the result of all farm uses against residential use of the parcel. use of the parcel cannot be residential and any farmed portion of the parcel meeting the two-year requirement is entitled to a farmland assessment even though it may be smaller than the portion of the parcel used for residential purposes.
 Alternative soil mapping guideline. The Department has consistently advocated the use of Illinois Cooperative Soil Survey (ICSS) soil mapping (mapping prepared for county detailed soil surveys) for computing

If a parcel has a use combination of residential, nonresidential-nonfarm (*e.g.*, commercial, industrial),

and any type of farm use, then the relative proportion of

primary use of the parcel is residential. For example, if

the primary use of the parcel is commercial, the primary

all uses should be considered in determining whether the

farmland assessments. The ICSS soil maps contain the level of accuracy needed to assure that soil productivity indices and assessed values are accurate.

The Natural Resources Conservation Service (NRCS), the agency responsible for directing the ICSS program, is a producer of Order 2 soil surveys. Order 2 soil mapping (mapping prepared at a scale of 1:12,000 to 1:20,000) is regarded by the Department as the largest, feasibly-manageable scale for which to conduct a reliable state mapping project. The ICSS does not produce Order 1 (mapping produced at a scale usually larger than 1:12,000) soil mapping for a county. Although Order 1 soil mapping could provide a more detailed account of the soils for a specific site than Order 2 mapping, its lack of national and state standards will often cause it to be less accurate.

Landowners may, however, challenge ICSS soil data (mapping) in a tax assessment complaint and submit alternative soil mapping. Such soil mapping should be prepared at the same scale or under the specifications and standards as ICSS soil mapping. When a complaint is filed, boards of review must decide whether evidence supports replacing ICSS soil mapping with alternative mapping. Evidence that supports substituting alternative soil mapping for ICSS soil mapping is the acceptance of such alternative mapping by the NRCS and a resulting change in the official record copy of the soil map. An official record copy soil map showing all approved soil surveys is maintained by the NRCS. Board of review decisions regarding the standing of alternative mapping should not be made without considering the expert opinion of the NRCS.

Through combined efforts of the Department, NRCS, and the Office of Research in the College of Agricultural, Consumer and Environmental Sciences at the University of Illinois at Champaign-Urbana, the following mechanism has been developed which will give boards of review access to such expert opinion.

The CCAO should forward any alternative Order 2 soil mapping received in a complaint to the local NRCS field office. The NRCS field office will conduct an

initial evaluation of the alternative soil mapping, and, as warranted, will forward the material to the NRCS area and/or state level. The NRCS will determine if the alternative mapping warrants a change in the official record copy. Boards of review should give substantial weight to NRCS decisions when settling complaints.

Since NRCS evaluations will only be performed on alternative Order 2 soil mapping, according to this guideline, board of review rules should be amended to require that corresponding Order 2 soil mapping must accompany any Order 1 soil mapping submitted in a complaint. Boards of review can benefit greatly from an NRCS evaluation of Order 2 soil mapping.

Since ICSS soil maps identify soils as they occur on the landscape, boards of review should not replace ICSS soil mapping with any alternative mapping for areas smaller in size than a tax parcel. The entire tax parcel should be evaluated and mapped if alternative soil mapping is done.

- Use of a tract during the assessment year. Since real property is valued according to its condition on January 1 of the assessment year, a time when most farmland is idle, an assessor will often not know if a tract will no longer be used for farming. Therefore, circumstances occurring after January 1 may be taken into consideration to determine a parcel's tax status as farm or nonfarm. For example, if a typically cropped tract previously assessed as farmland has not been planted or used in any other qualified farm use during the assessment year and building construction has begun on the tract, the tract should **not** be assessed as farmland.
- Significance of primary use on a non-residential parcel. The primary use of a non-residential parcel does not have to be agricultural in order for a tract within the parcel to be assessed as a farm. The farmed portion of primarily commercial or industrial parcels is eligible for a farm assessment provided it qualifies under the statutory definition of farm and has qualified for the previous two years. For example, if a small farmed tract on an 80-acre industrial parcel meets the farm definition and has met the definition for the previous two years, the small tract should be assessed as farmland.
- Two-year eligibility requirement. The statutory requirement that land be in a farm use for the preceding two years applies to nonfarm converted-to-farm tracts for which there was no previous farming and not to tracts converted for the purpose of adding to existing farmland. For example, the two-year requirement would not apply when the dwelling on a farmed parcel is demolished and the land is farmed. The two-year requirement also does not apply to tracts assessed under the Forestry Development Act or land assessed as a vegetative filter strip.
- Detailed soil mapping. Modern detailed soil maps, prepared by the USDA Natural Resources Conservation Service, are now complete in every county. Boards of review are advised to consider such detailed soil mapping when presented for appeal.

- > Effect of commercial retailing of farm products on preferential assessment status. Eligibility for receiving the preferential farmland assessment depends solely upon a tract's conformity with the farm definition without regard to the retailing methods of agricultural products produced on the tract. For example, a pay-to-pick strawberry patch is eligible for a preferential farmland assessment provided its sole use has been in this or another qualified farm use for the previous two years and it is not part of a primarily residential parcel. Tracts devoted to nonfarm uses (e.g., clubhouse, cabin), tracts where the use is not solely agricultural (e.g., pasture also used for commercial horseback riding or camping), or tracts used for the sale of nonfarm products are not eligible for preferential treatment.
- Effects of gubernatorial proclamation declaring county as a State of Illinois disaster area. Unless stipulated, there is no farmland assessment relief associated with a disaster area proclamation. Any crop damage caused by flooding from such a disaster, should be compensated for through the county's flood adjustment procedure.
- ≻ Use of ortho-photo base maps. Use of an ortho-photo base map is neither mandated by statute nor required by the Department. The Department recognizes certain advantages associated with ortho-photography, but is also aware of hardships the additional expense of ortho-photography may impose on some local governments. The benefits of ortho-photography increase when the photo base map is used in a computer-assisted mapping system or geographic information system and increases further as the steepness and diversity of the terrain increases. Before deciding on a base map, a county should be sure that it is accurate enough to allow for proper matching of parcel boundaries and soil types. The law requires that cropland, permanent pasture, and other farmland be assessed according to its adjusted PI. This can only be accomplished when soil types are adequately identified and measured by land use.
- Effect of a designated Ag area on farmland assessments. The Agricultural Areas Conservation and Protection Act, 505 ILCS 5/1 et seq., provides for the establishment of agricultural conservation and protection areas (commonly called "Ag Areas"). The establishment of an Ag area provides the following benefits:
 - Landowners are protected from local laws or ordinances that would restrict normal farming practices, including nuisance ordinances.
 - Protection from special benefit assessments for sewer, water, lights or nonfarm drainage (unless landowners are benefited) is provided.
 - Land is protected from locally-initiated projects that would lead to the conversion of that land to other uses.

 State agencies may consider the existence of Ag Areas when selecting a site for a project; however, the Act does not prohibit these agencies from acquiring land in Ag Areas for development purposes.

When determining farmland eligibility, no special consideration is given to a tract due to its being located within a designated Ag Area.

Comparing actual yields to formula yields when determining flood adjustments. Sometimes the yields of flood-affected farms and upland farms of similar PIs are similar; but, once adjusted for flood, the flood-affected farms carry a lower assessment. In order to keep the PIs and assessments of flood-affected soils and similar-producing upland soils consistent, a proposal was presented for comparing actual yields to formula yields and not assigning a flood adjustment when the yield of a particular soil meets or exceeds the average yield for the soil's PI. The Department advises against comparing actual yields to formula yields as a way of determining if a flood adjustment is warranted. The Farmland Assessment Law presupposes average yield potential under an average level of management. It would be inappropriate to penalize farmers who achieve higher-than-average yields through the employment of higher and costlier management practices. Refer to the instructions for flood adjustment.

Assessment of Farmland

The Farmland Assessment Law establishes capitalized net income as the basis for the EAV of farmland. Each year, the net income is determined for each PI of cropland. The net income is then capitalized by the five-year Federal Land Bank rate to determine an agricultural economic value (AEV) for each PI. The AEV for each PI is then multiplied by 33 1/3 percent (.3333), the product of which is the EAV. A listing of the 2025 EAVs of cropland by PI is given in Table 1. By law, the EAV of permanent pasture should be at one-third and the EAV of other farmland should be at one-sixth of these values.

To assess cropland, permanent pasture, or other farmland, determine the PI of each soil type. Because wasteland is assessed based on its contributory value as described in the guidelines, it is not necessary to determine the PI of wasteland in a farm parcel.

The degree of difficulty and accuracy in assessing farmland is determined by the type of soil maps available. The easiest and most accurate soil map to use is the detailed soil map prepared by the *USDA Natural Resources Conservation Service (NRCS)* for modern detailed soil surveys. A modern detailed soil map is an aerial base map showing the delineation of each soil type based on numerous soil samples and other field and laboratory analyses. Currently, all 102 counties have been mapped.

Individual soil weighting method

Using a detailed soil survey

Procedural steps and example assessments for implementing the individual soil weighting method using a detailed soil survey are given in Steps 1 through 10.

Step 1 — Obtain adequate aerial base tax maps. This step can be accomplished by acquiring or developing a set of aerial base tax maps as outlined in the Tax Maps and Property Index Number section of the Illinois Tax Mapping Manual.

Step 2 — Obtain detailed soil maps showing the distribution of each soil type. Detailed maps are prepared by the NRCS, in cooperation with the University of Illinois. These maps provide an inventory of the soil types found in a specific area. The various soil types are delineated on the soil map and are numerically coded for identification.

Reproduce detailed soil maps as overlays and at the same scale as the aerial base tax maps. This will allow the assessor to easily identify soil types by land-use category. Make any necessary corrections for map distortion.

The aerial base tax map is shown as Figure 1. The parcel used in this example is 01-29-400-001-0011. This parcel consists of 158 acres, all the land in the SE ¼ of section 29 south of the center line of the road. An overlay of the detailed soil survey map is shown on the aerial photograph.

Step 3 — Determine, from aerial photograph interpretation and on-site inspection of the parcel, the portions of the tract to

be classified as cropland, permanent pasture, other farmland, wasteland, road, and homesite. Cropland, permanent pasture, and other farmland will each have an assessment based upon soil productivity. Refer to the land use guidelines to determine into which category a specific land use falls. Also determine which portions of the wasteland contribute to the productivity of the farm. Delineate all land-use categories on the aerial photograph.

It was determined that the uses listed under Figure 1 were present. As outlined in the guidelines, the farm building site and the grass waterway will be assessed as other farmland and the creek will be assessed as wasteland. The creek contributes to the productivity of the farm by facilitating the drainage of the entire parcel. The homesite is assessed based upon the market value just as any other residential land.

Steps 4, 5, and 6 are illustrated in the example after Step 6.

Step 4 — Determine the acreage of each soil type within each land use category that will be assessed by productivity. The measurement may be made using a planimeter, grid, electronic calculator, or computerized mapping system (GIS, autocad, map info, etc.) whereby the various maps (soil, aerial, tax) may be digitized or scanned-in as layers. For noncomputerized mapping systems, outline the areas to be measured when the detailed soil survey map is laid over the aerial tax map. For this example, the acreage of each soil type was measured using an electronic area calculator and is shown under the headings "Soil I.D." and "# Acres" on the property record card (PRC).

Step 5 — Determine soil PI ratings for each soil type identified. Table 2 lists the average management PI for soil types mapped in Illinois. To use the table, locate a soil's identification number in the left-hand column and find its corresponding PI in the right-hand column.

The PIs of the soil on this parcel listed below are also shown under the heading "PI" on the PRC.

PI	Soil ID	PI
81	107	123
105	119	99
126	280	108
120		
	81 105 126	81107105119126280

Note For information on assigning PIs to soil complexes, refer to the section titled "*Soil complex adjustments*".

Step 6 — Adjust the PIs for slope and erosion. The indexes given in Table 2 are for 0 to 2 percent slopes and uneroded conditions. Therefore, adjust these PIs for the negative influence of actual slope and erosion conditions.

Table 3 shows percentage adjustments for common slope and erosion conditions for favorable and unfavorable subsoil. Soil types with unfavorable subsoils are indicated in Table 2 under subsoil rooting. To use Table 3, select the proper subsoil type and correlate the percentage slope on the left-hand side of the table with the degree of erosion at the top of the table. The number taken from this table is a percentage that is multiplied by the PI taken from Table 2. The result is the PI under average level management adjusted for slope and erosion.

Slope is indicated on a detailed soil survey map by the letter following the soil number. In this particular soil survey, the slopes are identified as follows:

Letter code	% slope used	% slope used in Table 3
no letter or A	0-2% slope	1%
В	2-4% slope	3%
С	4-7% slope	6%
D	7-12% slope	10%
E	12-18% slope	15%
F	18-35% slope	27%

Letter codes and percentage of slope vary between detailed soil surveys and between soil types within surveys. Consult the soil survey for the correct percentage of slope for each soil type.

Because Table 3 cannot be used with slope ranges, use a central point of the slope ranges unless a better determinant of slope is available. For the slope ranges used in the example, the central points are given above.

Erosion is indicated on a detailed soil survey map by a number following the letter indicating slope. Erosion is indicated below.

No number or 1	uneroded
2	moderate erosion
3	severe erosion

Given the information above, the designation of a soil as 280C2 indicates soil #280 with 4-7 percent slope and moderate erosion.

Using Table 3 to find the percentage adjustment to the PI of a soil designated as "C" slope "2" erosion, read down the "slope" column to 6 percent and across to the "moderate erosion" column to find the number 93, or 93 percent adjustment. Applying this 93 percent adjustment to the PI of soil #280 given in Table 2 results in a PI adjustment for slope and erosion of 100 for the 280C2 soil ($108 \times 93\% = 100$).

The designation of a soil as 8F indicates soil #8 with 18-35 percent slope and uneroded.

Using Table 3 to find the percentage adjustment to the PI of a soil designated as "F" slope and uneroded, read down the "slope" column to 27 percent and across to the "uneroded" column to find the number 71 or 71 percent adjustment. Applying this adjustment to the PI of soil #8 given in Table 2 results in an adjusted PI of 58 for the 8F soil (81 x 71% = 58). The PI adjustments and the adjusted PIs of all soils in the parcel are shown under the headings "Adj. Factor(s)" and "Adj. P.I." on the PRC.

Example — Steps 4, 5, and 6

	Property Record —						
OW IEI SI II DI VEII I GAUCES	& Abbr. Lega						
5						Year 2	2025
	Soil ID	PI	Adj. Factor(s)	Adj. Pl	No. Acres	Cert. Value	Asmt.
	17	105		105	28		
	43	126		126	35		
2	119D	99	0.94 (S)	93	1		
5	280B	108	0.99(Š)	107	14		
2	280C2	108	0.93(S & E)	100	5		
a upiai la (ruii EAV							
Ś							
_							
			Subtotal:		83		
5							
5	8F	81	0.71(S)	58	4		
2	43	126		126	1		
Ď	74	120		120	12		
מו	107	123		123	4		
Ľ	119D	99	0.94 (S)	93	17		
Leiliaileil Fasture (1/3 DAV	119E3	99	0.75 (S & E)	74	4		
σ	280B	108	0.99 (S)	107	6		
Þ	280C2	108	0.93 (S & E)	100	8		
			Subtotal:		56		
	43	126		126	4		
È	280C2	108	0.93 (S & E)	100	3		
2							
-							
)			0.14.4.1				
-			Subtotal:		7		
Contributory Wasteland 1/6 Lowest EAV					6		-
Non-Contributory Wasteland				2	0	0	
Dedicated Roads				2	0	0	
Total All Farmland					156		
					No. Acres	Value	Level Asm
Homesite							
Residential Bldgs.							
	arm Bldgs. -1F (R-6/99)						331/3

Steps 7 through 10 are illustrated on the PRC example following Step 10.

Step 7 — Determine the EAV per acre of each soil type for each land use category. To do this, locate the adjusted PI of each soil type in Table 1. The EAV per acre for a soil type in the cropland category is found directly from the table. For soil types in the permanent pasture and other farmland categories, determine the EAV per acre for each soil in the same manner as for cropland; then, multiply this value times one-third for permanent pasture and one-sixth for other farmland.

For example, soil #17 in the cropland category has an adjusted PI of 105. By locating the PI of 105 in Table 1, the EAV per acre is found to be \$518.75. To determine the EAV per acre for a soil included in the permanent pasture and other farmland categories, multiply the value as cropland by one-third (.3333) and one-sixth (.1667) respectively. Soil 119D in the permanent pasture category has an adjusted PI of 93 which has a cropland value from Table 1 of \$420.55. After multiplying this value by 33 1/3 percent (.3333), the EAV for this soil in the permanent pasture category is equal to \$140.17. The EAV per acre of a soil included in the other farmland category is determined by multiplying its value as cropland from Table 1 by one-sixth (.1667).

The six acres of creek are considered to contribute to the productivity of the farm and are assessed as contributory wasteland at one-sixth of the value of the lowest PI of cropland certified by the Department. For 2025, the lowest PI of cropland certified by the Department was 82. The EAV per acre for cropland of PI 82 is \$379.06. The EAV per acre of the wasteland that is a creek is \$379.06 x .1667 = \$63.19 per acre. An EAV per acre of zero is assigned to both the two acres of non-contributory wasteland and the two acres of public road. All EAVs by soil type are shown under the heading "Cert. Val." the PRC.

Step 8 — Calculate the assessed value for each soil type in each land-use category by multiplying the EAV per acre (from Step 7) by the number of acres for each corresponding soil type. For example, the assessed value for soil #43 in the cropland category is 35 (acres) x 898.20/acre = 31,437.00. These calculations are shown under the heading "Asmt." on the PRC.

Step 9 — Subtotal the number of acres and assessed values of the soil types within each land-use category to obtain the total number of acres and total EAVs for the cropland, permanent pasture, and other farmland categories. In the example, the total EAV for the 83 acres of cropland is \$56,226.00. These calculations are shown on the "Subtotal" line under their respective headings on PRC.

Step 10 — Determine the total EAV for farmland by adding the previously determined subtotals for cropland, permanent pasture, and other farmland to the assessed value of wasteland.

	Property Record —						
Ownership/Mailing Address	& Abbr. Legal					Year	2025
	Soil ID	PI	Adj. Factor(s)	Adj. Pl	No. Acres	Cert. Value	Asmt.
	17	105	, laj: i aletei (e)	105	28	518.75	14,525
	43	126		126	35	898.20	31,437
~	43 119D	99	0.94 (S)	93	1	420.55	421
₹.	280B	108	0.99(S)	107	14	535.46	7,496
Ë.	280C2	108	0.93(S & E)	107	5	469.35	2,347
Ľ,	20002	100	0.93(3 & E)	100	5	403.00	2,047
<u>p</u>							
Cropland (Full EAV)							
8							
Ľ							
1							
			Subtotal:		83		56,226
9							
Permanent Pasture (1/3 EAV	8F	81	0.71(S)	58	4	126.34	505
3	43	126		126	1	299.37	299
е С	74	120		120	12	224.66	2,696
fĽ	107	123		123	4	260.06	1,040
ŝ	119D	99	0.94 (S)	93	17	140.17	2,383
t	119E3	99	0.75 (S & E)	74	4	126.34	505
E	280B	108	0.99 (S)	107	6	178.47	1,071
Ĕ	280C2	108	0.93 (S & E)	107	8	156.43	1,071
æ	20002	100	Subtotal:	100	-	150.45	1,251 9,750
⊢	10	100	Sudiolai.	100	56	4 4 0 7 0	
	43	126	<u> </u>	126	4	149.73	599
₹.	280C2	108	0.93 (S & E)	100	3	78.24	235
Other Farmland (1/6 EAV)							
Ē							
Ë							
Бą							
đ							
ð							
1	Subtotal: 7						834
0	ontributory	Wastels		t FA\/	6	63.19	379
					2	0	0
						0	0
	Bodiodiod i bodo					0	67,189
	Total All Farmland 156) (alua	
.					No. Acres	Value	Level Asmt.
	Homesite						
	esidential E	Bldgs.					201/
	arm Bldgs.						331/3
PRC	RC-1F (R-6/99)						

Figure 1



Use	Acres	Use Acr	es
Cropland	83	Grass Waterway	3
Permanent Pastu	re 56	Wasteland	2
Farm Building Sit	e 4	Creek	6
Road	2		

PRC-1F (R-6/99)

Soil complex adjustments

Occasionally, two or more soils occur together in a pattern that is too intricate for the individual soils to be delineated on the soil map at the scale being used. These groups of soils are called soil complexes. When this situation occurs, the PI of the complex is calculated by weighting or averaging the individual indexes of the soils in the complex. When the percentage of each type of soil in the complex is known, a weighted PI is calculated. The method for weighting is outlined below using the Cisne-Huey complex for a county in which percentages of each soil is known. If the percentages of each soil type cannot be obtained, the PIs for the individual soil types may be averaged to get a PI for the complex.

Cisne-Huey	PI x percent	=	Contribution
Cisne (2)	97 x 60%	=	58.2
Huey (120)	79 x <u>40%</u>	=	<u>31.6</u>
Total	100%	=	89.8 = 90 = PI

Table 1Certified Values for Assessment Year 2025 (\$ per acre)						
						Average Management PI
<u> </u>		\$480.13	\$122.00		\$841.94	\$379.06
82	\$602.12		\$122.00 \$125.22	\$2,525.82		•
83	\$607.56	\$482.34		\$2,592.59	\$864.20	\$380.67
84	\$612.99	\$484.54	\$128.45	\$2,659.37	\$886.46	\$382.28
85	\$618.42	\$486.75	\$131.67	\$2,726.14	\$908.71	\$383.95
86	\$623.86	\$488.96	\$134.90	\$2,792.91	\$930.97	\$385.63
87	\$629.29	\$491.17	\$138.12	\$2,859.68	\$953.23	\$387.24
88	\$634.72	\$493.38	\$141.35	\$2,926.45	\$975.48	\$388.74
89	\$640.16	\$495.59	\$144.57	\$2,993.23	\$997.74	\$394.94
90	\$645.59	\$497.79	\$147.80	\$3,060.00	\$1,020.00	\$401.34
91	\$651.02	\$500.00	\$151.02	\$3,126.77	\$1,042.26	\$407.75
92	\$656.46	\$502.21	\$154.25	\$3,193.54	\$1,064.51	\$414.15
93	\$661.89	\$504.42	\$157.47	\$3,260.31	\$1,086.77	\$420.55
94	\$667.32	\$506.63	\$160.70	\$3,327.09	\$1,109.03	\$426.97
95	\$672.76	\$508.84	\$163.92	\$3,393.86	\$1,131.29	\$433.37
96	\$678.19	\$511.04	\$167.15	\$3,460.63	\$1,153.54	\$439.77
97	\$683.63	\$513.25	\$170.37	\$3,527.40	\$1,175.80	\$446.17
98	\$689.06	\$515.46	\$173.60	\$3,594.17	\$1,198.06	\$452.56
99	\$694.49	\$517.67	\$176.82	\$3,660.95	\$1,220.32	\$459.67
100	\$699.93	\$519.88	\$180.05	\$3,727.72	\$1,242.57	\$469.35
101	\$705.36	\$522.09	\$183.27	\$3,794.49	\$1,264.83	\$479.59
102	\$710.79	\$524.29	\$186.50	\$3,861.26	\$1,287.09	\$490.12
103	\$716.23	\$526.50	\$189.72	\$3,928.03	\$1,309.34	\$500.75
104	\$721.66	\$528.71	\$192.95	\$3,994.81	\$1,331.60	\$510.47
105	\$727.09	\$530.92	\$196.17	\$4,061.58	\$1,353.86	\$518.75
105	\$732.53	\$533.13	\$199.40	\$4,128.35	\$1,376.12	\$527.14
100	\$737.96	\$535.34	\$202.62	\$4,195.12	\$1,398.37	\$535.46
107	\$743.39	\$537.54	\$202.02	\$4,261.89	\$1,420.63	\$542.95
108	\$745.59 \$748.83	\$539.75	\$205.85 \$209.07	\$4,328.67	\$1,420.85 \$1,442.89	\$550.30
	•		-			-
110	\$754.26	\$541.96	\$212.30	\$4,395.44	\$1,465.15	\$557.73
111	\$759.69	\$544.17	\$215.52	\$4,462.21	\$1,487.40	\$567.12
112	\$765.13	\$546.38	\$218.75	\$4,528.98	\$1,509.66	\$577.60
113	\$770.56	\$548.59	\$221.97	\$4,595.75	\$1,531.92	\$588.26
114	\$775.99	\$550.79	\$225.20	\$4,662.53	\$1,554.18	\$599.11
115	\$781.43	\$553.00	\$228.43	\$4,729.30	\$1,576.43	\$610.11
116	\$786.86	\$555.21	\$231.65	\$4,796.07	\$1,598.69	\$621.33
117	\$792.29	\$557.42	\$234.88	\$4,862.84	\$1,620.95	\$632.70
118	\$797.73	\$559.63	\$238.10	\$4,929.62	\$1,643.20	\$644.21
119	\$803.16	\$561.84	\$241.33	\$4,996.39	\$1,665.46	\$655.94
120	\$808.59	\$564.04	\$244.55	\$5,063.16	\$1,687.72	\$674.05
121	\$814.03	\$566.25	\$247.78	\$5,129.93	\$1,709.98	\$720.80
122	\$819.46	\$568.46	\$251.00	\$5,196.70	\$1,732.23	\$765.08
123	\$824.89	\$570.67	\$254.23	\$5,263.47	\$1,754.49	\$780.25
124	\$830.33	\$572.88	\$257.45	\$5,330.25	\$1,776.75	\$802.09
125	\$835.76	\$575.09	\$260.68	\$5,397.02	\$1,799.01	\$849.49
126	\$841.19	\$577.29	\$263.90	\$5,463.79	\$1,821.26	\$898.20
127	\$846.63	\$579.50	\$267.13	\$5,530.56	\$1,843.52	\$948.23
128	\$852.06	\$581.71	\$270.35	\$5,597.33	\$1,865.78	\$969.30
129	\$857.49	\$583.92	\$273.58	\$5,664.11	\$1,888.04	\$989.41
130	\$862.93	\$586.13	\$276.80	\$5,730.88	\$1,910.29	\$1,009.74
130	JUU2.JU	•		rate is 4.83 percent.	Ŷ±,J±0.2J	71,003.74

10% Increase of 2024 certified value at PI 111 is \$51.56

* These values reflect the Statutory changes to 35 ILCS 200/10-115e under Public Act 98-0109.

*Farmland values are as certified by the Farmland Assessment Technical Advisory Board. Any differences in calculations are due to rounding at different stages of calculations.

Table 2 Information and Acknowledgement

This table replaces Table 2 in Bulletin 810. Duplicate IL Map Symbols are in bold typeface. Use the appropriate soil type name to determine the proper productivity index.

Acknowledgement: Soil productivity indices and other required data for each Illinois soil were transferred to this website. From 1996 to present, the Illinois crop yields estimates and productivity indices by soil type were created by a University of Illinois Urbana-Champaign, College of Agricultural, Consumer and Environmental Sciences task force of soil scientists, agronomists, crop scientists and agricultural economists in the Department of NRES.

	Table 2							
Productivity of Illinois Soils Under Average Management								
Slightly Eroded, 0 to 2 Percent Slopes								
	Revised January 1, 2012							
ll man		Subsoil rooting	B 810 Productivity Index (PI)					
symbol	Soil type name	Subsoli rooting	Average management					
2	Cisne silt loam	Favorable	97					
3	Hoyleton silt loam	Favorable	96					
4	Richview silt loam	Favorable	98					
5	Blair silt loam	Unfavorable	92					
6	Fishhook silt loam	Unfavorable	86					
7	Atlas silt loam	Unfavorable	79					
8	Hickory loam	Favorable	81					
9	Sandstone rock land	Crop yield data not available						
10	Plumfield silty clay loam	Unfavorable	72					
12	Wynoose silt loam	Favorable	86					
13	Bluford silt loam	Favorable	90					
14	Ava silt loam	Unfavorable	89					
15	Parke silt loam	Favorable	97					
16	Rushville silt loam	Favorable	97					
17	Keomah silt loam	Favorable	105					
18	Clinton silt loam	Favorable	107					
19	Sylvan silt loam	Favorable	98					
21	Pecatonica silt loam	Favorable	100					
22	Westville silt loam	Favorable	100					
23	Blount silt loam	Favorable	93					
24	Dodge silt loam	Favorable	108					
25	Hennepin loam	Unfavorable	80					
26	Wagner silt loam	Favorable	96					
27	Miami silt loam	Favorable	99					
28	Jules silt loam	Favorable	108					
29	Dubuque silt loam	Unfavorable	85					
30	Hamburg silt loam	Favorable	95					
31	Pierron silt loam	Favorable	90					
34	Tallula silt loam	Favorable	116					
35	Bold silt loam	Favorable	97					
36	Tama silt loam	Favorable	123					
37	Worthen silt loam	Favorable	126					
38	Rocher loam	Favorable	96					
40	Dodgeville silt loam	Favorable	92					
41	Muscatine silt loam	Favorable	130					
	Papineau fine sandy loam	Favorable	91					
	Ipava silt loam	Favorable	126					
	Pella silty clay loam, bedrock substrat		100					
	Denny silt loam	Favorable	105					
	Herrick silt loam	Favorable	118					
	Virden silt loam	Favorable	122					
	Ebbert silt loam	Favorable	111					
	Watseka loamy fine sand	Favorable	82					

Table 2									
Productivity of Illinois Soils Under Average Management									
Slightly Eroded, 0 to 2 Percent Slopes									
Revised January 1, 2012									
IL map	B 810 Productivity Index (PI)								
symbol	Soil type name	Subsoil rooting	Average management						
50	Virden silty clay loam	Favorable	119						
	Muscatune silt loam	Favorable	130						
53	Bloomfield fine sand	Favorable	75						
54	Plainfield sand	Favorable	67						
55	Sidell silt loam	Favorable	117						
56	Dana silt loam	Favorable	116						
57	Montmorenci silt loam	Favorable	103						
59	Lisbon silt loam	Favorable	121						
	La Rose silt loam	Favorable	104						
	Atterberry silt loam	Favorable	117						
	Herbert silt loam	Favorable	116						
	Blown-out land	Crop yield data not available							
	Parr fine sandy loam	Favorable	95						
	Harpster silty clay loam	Favorable	117						
	Sable silty clay loam	Favorable	126						
	Milford silty clay loam	Favorable	113						
	Beaucoup silty clay loam	Favorable	116						
	Darwin silty clay	Favorable	98						
	Sharon silt loam	Favorable	108						
	Ross loam	Favorable	119						
-	Radford silt loam	Favorable	120						
75	Drury silt loam	Favorable	112						
	Otter silt loam	Favorable	123						
-	Huntsville silt loam	Favorable	127						
	Arenzville silt loam	Favorable	115						
-	Menfro silt loam	Favorable	106						
	Littleton silt loam	Favorable	126						
-	Millington loam	Favorable	111						
	Wabash silty clay	Favorable	103						
	Okaw silt loam	Favorable	85						
	Jacob clay	Favorable	73						
	Osco silt loam	Favorable	125						
	Dickinson sandy loam	Favorable	92						
	Sparta loamy sand	Favorable	81						
	Maumee fine sandy loam	Favorable	83						
	Bethalto silt loam	Favorable	118						
	Swygert silty clay loam	Unfavorable	104						
	Sarpy sand	Favorable	74						
	Rodman gravelly loam	Unfavorable	74						
	Limestone rock land	Crop yield data not available							
	Shale rock land	Crop yield data not available							
	Eden silty clay loam	Unfavorable	72						
	Houghton peat	Favorable	107						
	Ade loamy fine sand	Favorable	91						
		Crop yield data not available							

		T 1 1 0			
	Table 2				
	Productivity of Illinois	Soils Under Average	Management		
	Slightly Eroc	led, 0 to 2 Percent Slo	opes		
		sed January 1, 2012	-		
IL map	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)		
symbol	-	-	Average management		
	Palms muck	Favorable	104		
	Brenton silt loam, bedrock substratum	Favorable	111		
	La Hogue loam	Favorable	107		
	Houghton muck	Favorable	115		
	Virgil silt loam	Favorable	117		
	Batavia silt loam	Favorable	114		
	Hitt sandy loam	Favorable	100		
	Sawmill silty clay loam	Favorable	123		
	Bonnie silt loam	Favorable	98		
	Racoon silt loam	Favorable	94		
	Rubio silt loam	Favorable	101		
	Cowden silt loam	Favorable	103		
	Oconee silt loam	Favorable	105		
	O'Fallon silt loam	Unfavorable	89		
	Dockery silt loam	Favorable	114		
	Whitson silt loam	Favorable	103		
	Elco silt loam	Favorable	99		
	Huey silt loam	Unfavorable	79		
	Colp silt loam	Unfavorable	87		
	Riverwash	Crop yield data not available			
	Beaucoup gravelly clay loam	Favorable	116		
	Selma loam	Favorable	114		
	Bonpas silt loam, overwash	Favorable	117		
	Harrison silt loam	Favorable	115		
	Douglas silt loam	Favorable	112		
	Alvin fine sandy loam	Favorable	98		
	Starks silt loam	Favorable	106		
	Camden silt loam	Favorable	106		
	Brooklyn silt loam	Favorable	99		
	Clare silt loam, bedrock substratum	Favorable	113		
	Shiloh silty clay loam	Favorable	115		
	Shiloh silt loam, overwash	Favorable	111		
	Wesley fine sandy loam	Favorable	100		
	Patton silty clay loam	Favorable	117		
	Saybrook silt loam	Favorable	117		
	Elliott silt loam	Favorable	111		
	Clarence silty clay loam	Unfavorable	95		
	Proctor silt loam	Favorable	120		
149	Brenton silt loam	Favorable	125		

Table 2						
	Productivity of Illinois Soils Under Average Management					
	Slightly Eroded, 0 to 2 Percent Slopes					
IL map	Revised January 1, 2012 nap B 810 Productivity Index (PI)					
symbol	Soil type name	Subsoil rooting	Average management			
150	Onarga sandy loam	Favorable	97			
	Ridgeville fine sandy loam	Favorable	101			
	Drummer silty clay loam	Favorable	127			
153	Pella silty clay loam	Favorable	120			
	Flanagan silt loam	Favorable	127			
	Stockland loam	Unfavorable	82			
	Symerton loam	Favorable	114			
	Pillot silt loam	Favorable	106			
162	Gorham silty clay loam	Favorable	115			
	Stoy silt loam	Favorable	96			
	Weir silt loam	Favorable	94			
166	Cohoctah loam	Favorable	118			
167	Lukin silt loam	Favorable	96			
171	Catlin silt loam	Favorable	122			
172	Hoopeston sandy loam	Favorable	97			
	McGary silt loam	Unfavorable	89			
	Chaseburg silt loam	Favorable	107			
	Lamont fine sandy loam	Favorable	86			
	Marissa silt loam	Favorable	109			
178	Ruark fine sandy loam	Favorable	88			
	Minneiska loam	Favorable	92			
	Dupo silt loam	Favorable	116			
	Peotone mucky silty clay loam, marl substratum	Favorable	106			
	Shaffton loam	Favorable	102			
	Roby fine sandy loam	Favorable	98			
	Beardstown loam	Favorable	100			
	Martinton silt loam	Favorable	115			
	Knight silt loam	Favorable	107			
	Del Rey silt loam	Favorable	100			
	Mayville silt loam	Favorable	98			
	Morley silt loam	Favorable	92			
	Troxel silt loam	Favorable	124			
	Elburn silt loam	Favorable	127			
	Plano silt loam	Favorable	126			

	Table 2					
F	Productivity of Illinois Soils Under Average Management					
· ·						
	Slightly Eroded, 0 to 2 Percent Slopes Revised January 1, 2012					
IL map	an Subsoil B 810 Productivity Index (PI)					
symbol	Soil type name	rooting	Average management			
200	Orio sandy loam	Favorable	97			
201	Gilford fine sandy loam	Favorable	98			
204	Ayr sandy loam	Favorable	96			
205	Metea silt loam	Favorable	86			
206	Thorp silt loam	Favorable	112			
208	Sexton silt loam	Favorable	102			
210	Lena muck	Favorable	111			
212	Thebes silt loam	Favorable	98			
213	Normal silt loam	Favorable	118			
214	Hosmer silt loam	Unfavorable	93			
216	Stookey silt loam	Favorable	102			
217	Twomile silt loam	Favorable	93			
218	Newberry silt loam	Favorable	101			
219	Millbrook silt loam	Favorable	114			
221	Parr silt loam	Favorable	105			
223	Varna silt loam	Favorable	103			
224	Strawn silt Ioam	Favorable	93			
225	Holton silt loam	Favorable	89			
226	Wirt silt loam	Favorable	94			
227	Argyle silt loam	Favorable	108			
228	Nappanee silt loam	Unfavorable	78			
229	Monee silt loam	Favorable	88			
230	Rowe silty clay	Favorable	98			
231	Evansville silt loam	Favorable	114			
232	Ashkum silty clay loam	Favorable	112			
233	Birkbeck silt loam	Favorable	108			
234	Sunbury silt loam	Favorable	116			
	Bryce silty clay	Favorable	107			
	Sabina silt loam	Favorable	108			
238	Rantoul silty clay	Favorable	96			
	Dorchester silt loam	Favorable	113			
240	Plattville silt loam	Favorable	106			
241	Chatsworth silt loam	Unfavorable	69			
	Kendall silt loam	Favorable	110			
	St. Charles silt loam	Favorable	108			
	Hartsburg silty clay loam	Favorable	119			
	McFain silty clay	Favorable	105			
	Edinburg silty clay loam	Favorable	112			

	т	ahla 1				
	Table 2					
	Productivity of Illinois Soils Under Average Management Slightly Eroded, 0 to 2 Percent Slopes					
			•			
IL map	Revised January 1, 2012 Subsoil B 810 Productivity Index (PI)					
symbol	Soil type name	rooting	Average management			
250	Velma loam	Favorable	100			
252	Harvel silty clay loam	Favorable	111			
256	Pana silt loam	Favorable	102			
257	Clarksdale silt loam	Favorable	114			
258	Sicily silt loam	Favorable	110			
259	Assumption silt loam	Favorable	106			
261	Niota silt loam	Favorable	87			
262	Denrock silt loam	Favorable	102			
264	El Dara silt loam	Favorable	89			
265	Lomax loam	Favorable	102			
266	Disco sandy loam	Favorable	96			
267	Caseyville silt loam	Favorable	112			
268	Mt. Carroll silt loam	Favorable	119			
270	Stronghurst silt loam, sandy substratum	Favorable	111			
271	Timula silt loam	Favorable	100			
272	Edgington silt loam	Favorable	109			
274	Seaton silt loam	Favorable	106			
275	Joy silt loam	Favorable	127			
277	Port Byron silt loam	Favorable	127			
278	Stronghurst silt loam	Favorable	111			
279	Rozetta silt loam	Favorable	106			
280	Fayette silt loam	Favorable	108			
282	Chute fine sand	Favorable	66			
283	Downsouth silt loam	Favorable	120			
284	Tice silty clay loam	Favorable	118			
285	Carmi loam	Favorable	95			
286	Carmi sandy loam	Favorable	94			
287	Chauncey silt loam	Favorable	105			
	Petrolia silty clay loam	Favorable	103			
	Warsaw silt loam	Favorable	105			
	Xenia silt loam	Favorable	104			
292	Wallkill silt loam	Favorable	109			
293	Andres silt loam	Favorable	120			
294	Symerton silt loam	Favorable	116			
	Mokena silt loam	Favorable	111			
	Washtenaw silt loam	Favorable	116			
297	Ringwood silt loam	Favorable	115			
	Beecher silt loam	Favorable	101			

Table 2			
	Productivity of Illinois		Average Management
	Slightly Erod		
II. man	Revis	ed January 1, 2	
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI) Average management
	Westland clay loam	Favorable	107
	Grantsburg silt loam	Unfavorable	90
	Ambraw clay loam	Favorable	101
	Landes fine sandy loam	Favorable	89
	Allison silty clay loam	Favorable	120
	Iona silt loam	Favorable	105
	Alford silt loam	Favorable	107
	McHenry silt loam	Favorable	101
	Ritchey silt loam	Unfavorable	74
	Edwards muck	Favorable	97
-	Rodman loam	Unfavorable	74
	Joliet silty clay loam	Favorable	87
	Channahon silt loam	Unfavorable	71
	Romeo silt loam	Unfavorable	43
	Millsdale silty clay loam	Favorable	97
	Lorenzo loam	Unfavorable	93
	Aurelius muck	Favorable	85
	Frankfort silt loam	Unfavorable	90
	Du Page silt loam	Favorable	111
	Russell silt loam	Favorable	103
-	Casco silt loam	Unfavorable	91
	Ripon silt loam	Favorable	98
	Dresden silt loam	Favorable	102
	Homer silt loam	Favorable	101
	Fox silt loam	Favorable	96
-	Holly silt loam	Favorable	96
	Will silty clay loam	Favorable	115
	Peotone silty clay loam	Favorable	108
	Haymond silt loam	Favorable	117
	Billett sandy loam		
	Wakeland silt loam	Favorable Favorable	88 114
	Birds silt loam	Favorable	103
	Robbs silt loam	Favorable	92
	Wilbur silt loam	Favorable	113
	Creal silt loam	Favorable	98
	Hurst silt loam	Unfavorable	88
	Wellston silt loam	Unfavorable	80
	Zanesville silt loam	Unfavorable	84
	Ambraw silty clay loam, sandy su	-	101
	Matherton silt loam	Favorable	101
-	Kane silt loam	Favorable	110
	Harvard silt loam	Favorable	111
-	Elvers silt loam	Favorable	104
		Favorable	99
	Dowagiac silt loam Canisteo silt loam	Favorable	99
-	-	Favorable Favorable	111
	Wingate silt loam		
349	Zumbro sandy loam	Favorable	87

	Та	ble 2	
	Productivity of Illinois Soi		agement
	-	-	agement
		0 to 2 Percent Slopes	
	Revised .	January 1, 2012	1
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI) Average management
350	Drummer silty clay loam, gravelly substratum	Favorable	122
	Elburn silt loam, gravelly substratum	Favorable	120
	Palms silty clay loam, overwash	Favorable	112
	Toronto silt loam	Favorable	114
	Hononegah loamy coarse sand	Favorable	74
	Binghampton sandy loam	Favorable	93
	Elpaso silty clay loam	Favorable	127
	Vanpetten loam	Favorable	94
	Fayette silt loam, till substratum	Favorable	105
	Slacwater silt loam	Favorable	100
	Kidder silt loam	Favorable	91
	Whitaker variant loam	Favorable	105
	Griswold loam	Favorable	103
	Aptakisic silt loam	Favorable	102
	Algansee fine sandy loam	Favorable	83
	Beach sand		83
		Crop yield data not available Favorable	95
	Raveenwash silty clay loam		
	Waupecan silt loam	Favorable	123
	Saylesville silt loam	Favorable	94
	St. Charles silt loam, sandy substratum	Favorable	100
	Kendall silt loam, sandy substratum	Favorable	104
	Camden silt loam, sandy substratum	Favorable	96
	Proctor silt loam, sandy substratum	Favorable	108
	Rutland silt loam	Favorable	118
	Cisne silt loam, bench	Favorable	97
	Hoyleton silt loam, bench	Favorable	96
378	Lanier fine sandy loam	Favorable	72
379	Dakota silt loam	Favorable	99
380	Fieldon silt loam	Favorable	101
381	Craigmile sandy loam	Favorable	102
	Belknap silt loam	Favorable	104
383	Newvienna silt loam	Favorable	119
384	Edwardsville silt loam	Favorable	124
385	Mascoutah silty clay loam	Favorable	125
386	Downs silt loam	Favorable	119
387	Ockley silt loam	Favorable	102
388	Wenona silt loam	Favorable	114
389	Hesch loamy sand, shallow variant	Unfavorable	50
390	Hesch fine sandy loam	Unfavorable	89
391	Blake silty clay loam	Favorable	103
392	Urban land, loamy Orthents complex	Crop yield data not available	
	Marseilles silt loam, gravelly substratum	Unfavorable	96
	Haynie silt loam	Favorable	105
	Ceresco loam	Favorable	104
396	Vesser silt loam	Favorable	109
	Boone loamy fine sand	Unfavorable	61
	Wea silt loam	Favorable	115

	Ta	able 2	
	Productivity of Illinois Soi		agement
	-	-	agement
		0 to 2 Percent Slopes	
	Revised .	January 1, 2012	P 940 Productivity
IL map	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)
symbol		Jan	Average management
400	Calco silty clay loam	Favorable	121
401	Okaw silty clay loam	Favorable	78
402	Colo silty clay loam	Favorable	122
403	Elizabeth silt loam	Unfavorable	54
404	Titus silty clay loam	Favorable	104
405	Zook silty clay	Favorable	103
406	Paxico silt loam	Favorable	106
407	Udifluvents, loamy	Crop yield data not available	
408	Aquents, loamy	Crop yield data not available	
409	Aquents, clayey	Crop yield data not available	
410	Woodbine silt loam	Favorable	87
411	Ashdale silt loam	Favorable	110
412	Ogle silt loam	Favorable	116
413	Gale silt loam	Favorable	89
414	Myrtle silt loam	Favorable	110
415	Orion silt loam	Favorable	116
416	Durand silt loam	Favorable	112
417	Derinda silt loam	Unfavorable	84
418	Schapville silt loam	Unfavorable	94
419	Flagg silt loam	Favorable	106
420	Piopolis silty clay loam	Favorable	95
421	Kell silt loam	Favorable	83
422	Cape silty clay loam	Favorable	91
	Millstadt silt loam	Favorable	97
424	Shoals silt loam	Favorable	113
425	Muskingum stony silt loam	Unfavorable	61
	Karnak silty clay	Favorable	89
	Burnside silt loam	Favorable	85
428	Coffeen silt loam	Favorable	117
429	Palsgrove silt loam	Favorable	92
	Raddle silt loam	Favorable	122
	Genesee silt loam	Favorable	111
	Geff silt loam	Favorable	97
	Floraville silt loam	Favorable	90
	Ridgway silt loam	Favorable	104
	Streator silty clay loam	Favorable	116
	Meadowbank silt loam	Favorable	121
	Redbud silt loam	Favorable	101
	Aviston silt loam	Favorable	121
	Jasper silt loam, sandy substratum	Favorable	104
	Jasper silt loam	Favorable	115
	Wakenda silt loam	Favorable	123
	Mundelein silt loam	Favorable	123
	Barrington silt loam	Favorable	115
	Newhaven loam	Favorable	111
	Springerton loam	Favorable	117
	Canisteo silt loam, sandy substratum	Favorable	105
	Mona silt loam	Favorable	104
	Amiesburg - Sarpy complex	Favorable	100

Productivity of Illinois Soils Under Average Management Slightly Eroded, 0 to 2 Percent Slopes Revised January 1, 2012

	Revised J	anuary 1, 2012	
IL map	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)
symbol			Average management
450	Brouillett silt loam	Favorable	118
451	Lawson silt loam	Favorable	124
452	Riley silty clay loam	Favorable	112
453	Muren silt loam	Favorable	105
454	Iva silt loam	Favorable	110
455	Mixed alluvial land	Crop yield data not available	
456	Ware silt loam	Favorable	104
457	Booker silty clay	Favorable	79
	Fayette silt loam, sandy substratum	Favorable	104
	Tama silt loam, sandy substratum	Favorable	120
	Ginat silt loam	Favorable	95
461	Weinbach silt loam	Favorable	93
462	Sciotoville silt loam	Favorable	93
463	Wheeling silt loam	Favorable	96
	Wallkill silty clay loam	Favorable	97
	Montgomery silty clay loam	Favorable	98
	Bartelso silt loam	Favorable	112
	Markland silt loam	Unfavorable	93
-	Lakaskia silt loam	Favorable	107
	Emma silty clay loam	Favorable	98
	Keller silt loam	Unfavorable	101
-	Clarksville cherty silt loam	Unfavorable	54
	Baylis silt loam	Favorable	96
	Rossburg loam	Favorable	117
	Piasa silt loam	Unfavorable	92
475	Elsah cherty silt loam	Favorable	97
	Biddle silt loam	Unfavorable	103
477	Winfield silt loam	Favorable	105
479	Aurelius muck, sandy substratum	Favorable	92
	Moundprairie silty clay loam	Favorable	103
	Raub silt loam	Favorable	119
	Uniontown silt loam	Favorable	104
	Henshaw silt loam	Favorable	104
484	Harco silt loam	Favorable	124
_	Richwood silt loam	Favorable	120
	Bertrand silt loam	Favorable	101
	Joyce silt loam	Favorable	117
	Hooppole loam	Favorable	107
	Hurst silt loam, sandy substratum	Unfavorable	83
	Odell silt loam	Favorable	114
	Ruma silt loam	Favorable	103
-	Normandy silt loam	Favorable	109
	Bonfield silt loam	Favorable	108
	Kankakee fine sandy loam	Favorable	102
	Corwin silt loam	Favorable	108
	Fincastle silt loam	Favorable	107
	Fella silty clay loam	Favorable	119
			-

Table 2 **Productivity of Illinois Soils Under Average Management** Slightly Eroded, 0 to 2 Percent Slopes **Revised January 1, 2012 B 810 Productivity** IL map Soil type name Subsoil rooting Index (PI) symbol Average management 501 Morocco fine sand Favorable 77 503 Rockton loam 90 Favorable 504 Sogn silt loam Unfavorable 54 505 Dunbarton silt loam Unfavorable 66 506 Hitt silt loam Favorable 105 508 Selma loam, bedrock substratum Favorable 112 509 Whalan loam Favorable 79 Unfavorable 511 Dunbarton silt loam, cherty variant 53 512 Danabrook silt loam Favorable 122 Favorable 513 Granby loamy sand 96 515 Bunkum silty clay loam Favorable 98 516 Faxon clay loam Favorable 102 517 Marine silt loam Favorable 92 518 Rend silt loam Unfavorable 93 523 Dunham silty clay loam Favorable 117 524 Zipp silty clay loam Favorable 91 525 Joslin loam, bedrock substratum Unfavorable 84 526 Grundelein silt loam Favorable 122 527 Kidami silt loam Favorable 102 528 Lahoguess loam Favorable 111 529 Selmass loam Favorable 107 530 Ozaukee silt loam Favorable 96 531 Markham silt loam Favorable 101 533 Urban land Crop yield data not available 534 Urban land, clayey Orthents complex Crop yield data not available 535 Orthents, stony Crop yield data not available Crop yield data not available 536 Dumps, mine 537 Hesch fine sandy loam, gray subsoil variant Unfavorable 99 Favorable 112 538 Emery silt loam 539 Wenona silt loam, loamy substratum Favorable 116 540 Frankville silt loam Favorable 86 Favorable 541 Gravmont silt loam 119 542 Rooks silt loam Favorable 122 Favorable 543 Piscasaw silt loam 108 544 Torox silt loam Favorable 109 545 Windere silt loam Favorable 112 546 Keltner silt loam Favorable 104 547 Eleroy silt loam Favorable 93 548 Marseilles silt loam, moderately wet Unfavorable 94 549 Marseilles silt loam Unfavorable 94

Productivity of Illinois Soils Under Average Management Slightly Eroded, 0 to 2 Percent Slopes Revised January 1, 2012

symbolSoll rype nameSubsol roomingAverage management551Gospart sill loamUnfavorable75552Drummer sitly day loam, till substratumFavorable120553Bryce-Calamine variant complexFavorable103554Kernan sitt loamFavorable100555Shadeland sill loamFavorable85566High Gap loamUnfavorable84567Millistream sill toamFavorable83568Breeds sitly clay loamFavorable83560St. Clair sill toamFavorable83561Whalan and NewGlarus sill toamsFavorable83562Port Byron sill toam, sandy substratumFavorable115563Steaton sill toam, sandy substratumFavorable101564Waukegan sill camFavorable101565Fektor sill toamFavorable101566Rockton and Dodgeville soilsFavorable101567Martinsville sill toamFavorable101568Hodary silly clay loam, clayey subsurface variantFavorable101569Medary sill clay loam, clayey subsurface variantFavorable101569Medary sill clay loam, subsoli variantFavorable101570Martinsville silt loamFavorable101571Whitaker silt loamFavorable102572Loran silt loamFavorable102573Dorchester silt clay bustratum<		Revised	January 1, 2012	
551 Gosport silt loam Unfavorable 75 552 Drummer sity clay loam, till substratum Favorable 120 553 Bryce-Calamine variant complex Favorable 100 555 Shadeland silt loam Favorable 100 556 Bredeland silt loam Favorable 100 556 Bredes silt clay loam Favorable 85 556 Bredes silt clay loam Favorable 105 558 Endeds silt clay loam Favorable 83 560 Stocklarus silt loam Favorable 83 561 Whalan and NewGlarus silt loams Favorable 83 562 Port Byron silt loam, sandy substratum Favorable 101 563 Scaton silt doam, sandy substratum Favorable 101 564 Waukegan silt loam Favorable 101 565 Statom Statoms, sandy substratum Favorable 101 566 Potkhan and NewGlarus silt loam Favorable 101 567 Elkhart silt loam Favorable 101 568 Potkhan Favorable 101 569 Gold potentit Favorable 101 570 Martinsville silt loam Fav	-	Soil type name	Subsoil rooting	B 810 Productivity Index (PI) Average management
552Drummer sitty clay loam, till substratumFavorable120553Bryce-Calamine variant complexFavorable103554Kernan sitt loamFavorable100555Shadeland sitt loamFavorable85556High Gap loamUnfavorable84557Millstream sitt loamFavorable115558Breeds sitty clay loamFavorable83560St. Clair sitt loamUnfavorable83561Whalan and NewGlarus sitt loamsFavorable815562Port Byron sitt loam, sandy substratumFavorable101563Seaton sitt loam, sandy substratumFavorable99566Rockton and Dodgeville soilsFavorable99566Rockton and Dodgeville soilsFavorable111568Marinsville sitt loamFavorable99566Rockton and Dodgeville soilsFavorable78570Martinsville sitt loamFavorable101564Vaukagen sitt loamFavorable101565Stalit loamFavorable101566Rockton and Dodgeville soilsFavorable101567Dirkhart sitt loamFavorable101568Marinsville sitt loamFavorable101569Medary sitt clay loam, clayey subsurface variantFavorable101570Martinsville sitt loamFavorable102571Whitaker sitt loamFavorable1015	2	Gosport silt loam	Unfavorable	
553Bryce-Calamine variant complexFavorable103554Kernan sill loamFavorable100555Shadeland sill loamFavorable85566High Gap loamUnfavorable84557Millstream silt loamFavorable115558Breeds silly clay loamFavorable105559Lindley JoanFavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable101564Wakagan silt loam, sandy substratumFavorable101564Wakagan silt loam, sandy substratumFavorable101564Wakagan silt loamFavorable101565Fell silt loamFavorable90566Rockton and Dodgeville soilsFavorable111568Niota silty clay loam, clayey subsurface variantFavorable101572Loran silt loamFavorable101573Tuscala loamFavorable107573Tuscala loamFavorable102574Ogle silt loam, subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102574Ogle silt loam, subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102575Soo y silt oam, sandy substratumFavorable102575Beavercreek loamUnfavorable10257		•	-	_
554Kernan silt loamFavorable100555Shadeland silt loamFavorable85556High Gap loamUnfavorable84557Millstream silt loamFavorable115558Breeds silty clay loamFavorable83560St. Clair silt loamInfavorable83561Whalan and NewGlarus silt loamsFavorable83562Port Byron silt loam, sandy substratumFavorable101563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable106565Fell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Eikhart silt loamFavorable111568Medary silty clay loam, clayey subsurface variantFavorable101571Writaker silt loamFavorable101572Loran silt loamFavorable101573Tuscola loamFavorable107573Tuscola loamFavorable102574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable102576Zuringle silt loam, sandy substratumFavorable102577Joy silt loam, sandy substratumFavorable90576Zoringle silt loamFavorable102577Joy silt loam, sandy substratumFavorable102578Fayete s				
555Shadeland sill loamFavorable85556High Gap loamUnfavorable84557Milistream sill loamFavorable115558Breeds silty clay loamFavorable83560St. Clair sill loamInfavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable106565Fell silt loam, clayey substratumFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable111568Mioda silt y clay loamFavorable76570Martinsville silt loamFavorable106571Whitaker silt loamFavorable101572Loan silt loam subsoil variantFavorable101573Tuscola loamFavorable102574Ogle silt loam, sandy substratumFavorable90574Ogle silt loam, sandy substratumFavorable91575Jo silt loam, sandy substratumFavorable93576Pavetrable102102575Jo silt loam, sandy substratumFavorable93576Beaveroreek loamUnfavorable75570Beaveroreek loamUnfavorable96571Terrace escarpmentC		5		
556High Gap loamUnfavorable84557Millsteam silt loamFavorable115558Breeds silty clay loamFavorable105559Lindley loamFavorable83560St. Clair silt loam sandy substratumFavorable85562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loam, sandy substratumFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable91568Koakton and Dodgeville soilsFavorable78569Medary sity clay loam, clayey subsurface variantFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable101572Loran silt loamFavorable101573Tuscola loam, sandy substratumFavorable102574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable90576Pavets lity clay loam, karstFavorable93577Terrace escarpmentCrop yield data not available75580Favetselit loamFavorable96581Tamalco silt loamFavorable96583Favetselit loamFavorable96584Grantfork silty clay loam, karstFavorabl				
557Milistream silt loamFavorable115558Bredds silty clay loamFavorable105559Lindley loamFavorable83560St. Clair silt loamUnfavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable91568Nicda silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loamFavorable76570Martinsville silt loamFavorable106571Whitae silt loamFavorable101572Loran silt loamFavorable106573Juog loamFavorable106574Ogle silt loamFavorable106575Joy silt loam, slandy substratumFavorable102575So vingle silt loamFavorable119576Seavercreek loamFavorable90577Terace escarpmentCrop yield data not available119578Beavercreek loamFavorable93579Beavercreek loamFavorable96581Tamalco silt loamFavorable96582Homen silt loamFavorable96<				
558Breeds silty clay loamFavorable105559Lindley loamFavorable83560St. Clair silt loamUnfavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable101563Seaton silt loamFavorable101564Waukegan silt loamFavorable106565Tell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable101570Martinsville silt loamFavorable101571Whitaker silt loamFavorable101572Loran silt loamFavorable101573Yusola loamFavorable101574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable102576Zwingle silt loam, sandy substratumFavorable102577Farcac escarpmentCrop yield data not available93578Beavercreek loamUnfavorable93579Beavercreek loamUnfavorable96571Terrace escarpmentCrop yield data not available96573Joester silt loam, clayey loamFavorable96574Beavercreek loamUnfavorable96575B			-	-
559Lindley loamFavorable83560St. Clair silt loamUnfavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable106564Waukegan silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable91568Nota silty clay loam, clayey subsurface variantFavorable76569Medrary silty clay loam, clayey subsurface variantFavorable101570Martinsville silt loamFavorable101571Whitaker silt loamFavorable101572Loran silt loamFavorable101573Tuscola loamFavorable101574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable94577Terrace escarpmentCrop yield data not available75578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silt loam, cobbly substratumFavorable96582Homen silt loamFavorable96583Pike silt loamGavorable96584Grantfork silty clay loam<				
560St. Clair silt loamUnfavorable83561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable101563Seaton silt loam, sandy substratumFavorable106564Waukegan silt loamFavorable106565Tell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Eikhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable78570Martinsville silt loamFavorable101571Whitaker silt loamFavorable101572Loran silt loamFavorable101573Tuscola loamFavorable101574Ogle silt loam, subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102576Zwingle silt loam, sobly substratumFavorable102575Joy silt loam, sandy substratumFavorable93576Dorchester silt loam, cobbly substratumFavorable93577Beavercreek loamUnfavorable93578Beavercreek loamUnfavorable96579Beavercreek loamUnfavorable96570Statt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable96570Statt loamFavorable96571<				
561Whalan and NewGlarus silt loamsFavorable85562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable106565Tell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Eikhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable76570Martinsville silt loamFavorable106571Martinsville silt loamFavorable106572Loran silt loamFavorable106573Tuscola loamFavorable106574Ogle silt loamFavorable107575Joy silt loam, sindy substratumFavorable107574Ogle silt loam, sindy substratumFavorable102575Joy silt loam, sindy substratumFavorable102576Savingle silt loam, cobbly substratumFavorable119577Farcae escarpmentCrop yield data not available93579Beavercreek loamUnfavorable96580Fayette silty clay loam, karstFavorable96581Tamalco silt loam, karstFavorable96582Pike silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable96 <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
562Port Byron silt loam, sandy substratumFavorable115563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable91568Nota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loam, clayey subsurface variantFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable106573Tuscola loamFavorable100574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable94577Tuscola loamFavorable94577Terrace escarpmentCrop yield data not available75580Fayette silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silt loam, karstFavorable96581Tamalco silt loamFavorable96583Pike silt loamFavorable77585Negley loamFavorable77585Negley loamFavorable77585Negley loamFavorable77585Negley loamFavorable90586Nokomis silt loamFavor			-	
563Seaton silt loam, sandy substratumFavorable101564Waukegan silt loamFavorable106565Tell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Eikhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loam, clayey subsurface variantFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable102575Joy silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable102576Zwingle silt loamFavorable90577Terrace escarpmentCrop yield data not available119576Bavercreek loamUnfavorable93579Beavercreek loamUnfavorable96581Favatil loamFavorable96583Pike silt loamFavorable96583Pike silt loamFavorable90584Grantfork silty clay loamFavorable90585Nederus silt loamFavorable90586Nokomis silt loamFavorable96583Pike silt loamFavorable90584Grantfork silty clay loamFavorable		-		
564Waukegan silt loamFavorable106565Tell silt loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable91568Niota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loam, clayey subsurface variantFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable100574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable94577Terrace escarpmentCrop yield data not available75580Fayetre silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable82580Fayet silty clay loam, karstFavorable96581Tamalco silt loamFavorable82582Homen silt loamFavorable82583Pike silty clay loamFavorable90584Srantfork silty clay loamFavorable90585Negley loamFavorable90586Nokomis silt loamFavorable90588Pike silty clay loamFavorable90589Negley loamFavorable90584Saratfork sitty clay loamFa				
565Tell sill loamFavorable99566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loamFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable102575Joy silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable95580Fayette silt y clay loam, karstFavorable96581Tamalco silt loamFavorable96582Home nilt loamFavorable96583Pike silt loamFavorable97585Negley loamFavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable90586Negley loamFavorable90586Nokomis silt loamFavorable90586 <t< td=""><td></td><td>•</td><td></td><td></td></t<>		•		
566Rockton and Dodgeville soilsFavorable91567Elkhart silt loamFavorable111568Nidta silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loamFavorable101570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable102574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable119576Zwingle silt loam, cobbly substratumFavorable94577Terrace escarpmentCrop yield data not available93579Beavercreek loamUnfavorable95580Fayette silty clay loam, karstFavorable96581Tamalco silt loam, karstFavorable96582Homen silt loamUnfavorable77583Pike silt olamFavorable90584Grantfork silty clay loamHavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Spata loamy substratumFavorable90588Spata loamy substratumFavorable103589Sowins silt loamFavorable100587Grantfork silty clay loamFavorable100588Spata loamy substratum		-		
567Elkhart silt loamFavorable111568Niota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loamFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable90574Ogle silt loam, subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102576Zwingle silt loam, subsoil variantFavorable94577Terrace escarpmentCrop yield data not available93579Beavercreek loamUnfavorable95580Fayette silty clay loam, karstFavorable96581Tamalco silt loamFavorable96583Pike silt loamFavorable96583Pike silt loamFavorable96583Pike silt loamFavorable96583Pike silt loamFavorable96583Pike silt loamFavorable90584Grantfork silty clay loamFavorable90585Negley loamFavorable90586Nokomis silt loamFavorable90587Negley loamFavorable90588Sparta loamy substratumFavorable90589Sparta loamy substratumFavorable90589Spar				
568Niota silty clay loam, clayey subsurface variantFavorable78569Medary silty clay loamFavorable101570Martinsville silt loamFavorable106572Loran silt loamFavorable106573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable90575Joy silt loam, sandy substratumFavorable102576Zwingle silt loam, sandy substratumFavorable91577Terrace escarpmentCrop yield data not available93579Beavercreek loamUnfavorable95580Fayette silty clay loam, karstFavorable96581Tamalco silt loamFavorable96583Pike silt loamFavorable96584Kartfork silty clay loam, karstFavorable96585Pike silt loamFavorable96586Sparte silt loamHavorable77585Negley loamFavorable90586Nokomis silt loamFavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable116588Sparta loamy substratumFavorable90589Bowdre silty clayFavorable93589Sparta loamy sand, loamy substratumFavorable93589Sparta loamy sand, loamy substratumFavorab		-		-
569Medary silty clay loamFavorable76570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable119576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable97585Negley loamFavorable90586Nekomis silt loamFavorable90587Negley loamFavorable90588Sparta loamy substratumFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable116588Sparta loamy substratumFavorable83589Bowdre silty clayFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable98590Cairo silty clayFavora				
570Martinsville silt loamFavorable101571Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable90574Ogle silt loam, sandy substratumFavorable102575Joy silt loam, sandy substratumFavorable94576Zwingle silt loam, cobbly substratumFavorable93577Beavercreek loamUnfavorable93579Beavercreek loamUnfavorable96581Tamalco silt loam, karstFavorable96582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loam, karstFavorable96585Negley loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable98590Cairo silty clayFavorable105				
For For Whitaker silt loamFavorable106572Loran silt loamFavorable107573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable102576Zwingle silt loam, sandy substratumFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamFavorable96582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable90585Negley loamFavorable90586Nokmis silt loamFavorable90586Negley loamFavorable100587Terril loamFavorable116588Sparta loamy substratumFavorable83589Bowdre silty clayFavorable83589Bowdre silty clayFavorable83589Cairo silty clayFavorable83589Bowdre silty clayFavorable83589Cairo silty clayFavorable98590Cairo silty clayFavorable98590Cairo silty cl				
572Loran silt loamFavorable107573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable119576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silty clay loamFavorable96584Sayette silty clay loamFavorable96585Negley loamFavorable90586Nokomis silt loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable90589Bowdre silty clayFavorable83589Bowdre silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty clayFavorable98590Cairo silty clayFavorable98				
573Tuscola loamFavorable90574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable119576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable95580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Saratfork silty clay loam, karstFavorable96585Fayette silt loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamUnfavorable77585Negley loamFavorable100587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable83589Bowdre silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty clayFavorable98589Cairo silty c				
574Ogle silt loam, silt loam subsoil variantFavorable102575Joy silt loam, sandy substratumFavorable119576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loam, karstFavorable96585Negley loamFavorable90586Nokomis silt loamFavorable90587Negley loamFavorable100588Sparta loamy sand, loamy substratumFavorable116588Bowdre silty clayFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable98				
575Joy silt loam, sandy substratumFavorable119576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamUnfavorable82583Pike silt loamFavorable96583Pike silt loamUnfavorable77584Grantfork silty clay loamFavorable90586Nokomis silt loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable116588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105				
576Zwingle silt loamFavorable94577Terrace escarpmentCrop yield data not available93578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable96585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable90588Sparta loamy sand, loamy substratumFavorable116588Bowdre silty clayFavorable83589Cairo silty clayFavorable98590Cairo silty clayFavorable105		-		
577Terrace escarpmentCrop yield data not available578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable96585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable98590Cairo silty clayFavorable105				
578Dorchester silt loam, cobbly substratumFavorable93579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamFavorable103585Negley loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable98		-		94
579Beavercreek loamUnfavorable75580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamUnfavorable103584Grantfork silty clay loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105		•		
580Fayette silty clay loam, karstFavorable96581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable96584Grantfork silty clay loamUnfavorable103585Negley loamSavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable116589Bowdre silty clayFavorable98590Cairo silty clayFavorable98				
581Tamalco silt loamUnfavorable82582Homen silt loamFavorable96583Pike silt loamFavorable103584Grantfork silty clay loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable90587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable116589Bowdre silty clayFavorable98590Cairo silty clayFavorable105			-	
582Homen silt loamFavorable96583Pike silt loamFavorable103584Grantfork silty clay loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable100588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	580	Fayette silty clay loam, karst		
583Pike silt loamFavorable103584Grantfork silty clay loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable116588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105			Unfavorable	82
584Grantfork silty clay loamUnfavorable77585Negley loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable116588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	582	Homen silt loam	Favorable	96
585Negley loamFavorable90586Nokomis silt loamFavorable100587Terril loamFavorable116588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	583	Pike silt loam	Favorable	103
586Nokomis silt loamFavorable100587Terril loamFavorable116588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	584	Grantfork silty clay loam	Unfavorable	77
587Terril IoamFavorable116588Sparta Ioamy sand, Ioamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	585	Negley loam	Favorable	90
588Sparta loamy sand, loamy substratumFavorable83589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	586	Nokomis silt loam	Favorable	100
589Bowdre silty clayFavorable98590Cairo silty clayFavorable105	587	Terril Ioam	Favorable	116
590 Cairo silty clayFavorable105	588	Sparta loamy sand, loamy substratum	Favorable	83
	589	Bowdre silty clay	Favorable	98
	590	Cairo silty clay	Favorable	105
Favorable 102	591	Fults silty clay	Favorable	102
592 Nameoki silty clay Favorable 106	592	Nameoki silty clay	Favorable	106
593 Chautauqua silty clay loam Favorable 106	593	Chautauqua silty clay loam	Favorable	106
594 Reddick silty clay loam Favorable 115			Favorable	115
595 Coot loam Favorable 97			Favorable	97
596 Marbletown silt loam Favorable 115			Favorable	
597 Armiesburg silty clay loam Favorable 117			Favorable	
598 Bedford silt loam Favorable 83				
599 Baxter cherty silt loam Favorable 73				

Table 2					
	Productivity of Illinois Soils Under Average Management				
	-	ded, 0 to 2 Percent SI	-		
	¥ ¥	ised January 1, 2012	0,000		
IL map	B 810 Productivity Index (Pl				
symbol	Soil type name	Subsoil rooting	Average management		
600	Huntington silt loam	Favorable	122		
601	Nolin silty clay loam	Favorable	102		
602	Newark silty clay loam	Favorable	92		
603	Blackoar silt loam	Favorable	116		
604	Sandy alluvial land	Crop yield data not available			
605	Ursa silt loam	Unfavorable	76		
606	Goss gravelly silt loam	Unfavorable	58		
607	Monterey silty clay loam	Favorable	114		
608	Mudhen clay loam	Favorable	95		
609	Crane silt loam	Favorable	110		
610	Tallmadge sandy loam	Favorable	109		
611	Sepo silty clay loam	Favorable	114		
613	Oskaloosa silt loam	Favorable	92		
614	Chenoa silt loam	Favorable	114		
615	Vanmeter silty clay loam	Favorable	69		
618	Senachwine silt loam	Favorable	95		
619	Parkville silty clay	Favorable	110		
	Darmstadt silt loam	Unfavorable	82		
621	Coulterville silt loam	Unfavorable	98		
622	Wyanet silt loam	Favorable	106		
	Kishwaukee silt loam	Favorable	119		
624	Caprell silt loam	Favorable	101		
625	Geryune silt loam	Favorable	121		
626	Kish loam	Favorable	110		
627	Miami fine sandy loam	Favorable	92		
628	Lax silt loam	Favorable	81		
629	Crider silt loam	Favorable	100		
630	Navlys silty clay loam	Favorable	92		
	Princeton fine sandy loam	Favorable	96		
	Copperas silty clay loam	Favorable	107		
	Traer silt loam	Favorable	104		
	Blyton silt loam	Favorable	112		
	Lismod silt loam	Favorable	122		
	Parmod silt loam	Favorable	110		
	Muskego silty clay loam, overwash	Favorable	113		
	Muskego muck	Favorable	110		
	Wynoose silt loam, bench	Favorable	84		
	Bluford silt loam, bench	Favorable	90		
	Quiver silty clay loam	Favorable	93		
	Rennsselaer loam	Favorable	98		
	Fluvaquents, loamy	Crop yield data not available			
	Lawler loam	Favorable	104		
	Clyde clay loam	Favorable	123		
	Nachusa silt Ioam	Favorable	121		

	T	able 2	
	Productivity of Illinois So	ils Under Average Ma	nagement
	Slightly Eroded,	0 to 2 Percent Slopes	5
	Revised	January 1, 2012	
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI) Average management
650	Prairieville silt loam	Favorable	116
651	Keswick loam	Favorable	74
652	Passport silt loam	Favorable	84
	Moline silty clay	Favorable	98
655	Ursa silt loam, moderately wet	Unfavorable	78
	Octagon silt loam	Favorable	104
657	Burksville silt loam	Favorable	95
658	Sonsac very cobbly silt loam	Unfavorable	71
	Coatsburg silt loam	Unfavorable	86
	Atkinson loam	Favorable	100
	Barony silt loam	Favorable	111
	Clare silt loam	Favorable	118
	Stonelick fine sandy loam	Favorable	91
	Kaneville silt loam	Favorable	113
	Somonauk silt loam	Favorable	104
	Saffell gravelly sandy loam	Unfavorable	71
	Aholt silty clay	Favorable	81
	Biggsville silt loam	Favorable	126
	Cresent loam	Favorable	104
	Onarga fine sandy loam, till substratum	Favorable	98
	Dozaville silt loam	Favorable	121
	Greenbush silt loam	Favorable	119
	Mannon silt loam	Favorable	118
	Blackberry silt loam	Favorable	126
	Campton silt loam	Favorable	105
	Dubuque-Orthents-Fayette complex	Crop yield data not available	100
	Medway silty clay loam	Favorable	116
	Lawndale silt loam	Favorable	127
	Broadwell silt loam	Favorable	127
	Middletown silt loam	Favorable	122
		Favorable	103
	Parkway silt loam		
	Penfield loam	Favorable	115
	Braidwood loam	Unfavorable	76
	Coloma loamy sand	Favorable Unfavorable	67
	Brookside stony silty clay loam	Unfavorable	82
	Beasley silt loam		75
	Menfro - Wellston silt loams	Favorable	95
	Menfro - Baxter complex	Favorable	94
	Fosterburg silt loam	Favorable	110
	Zurich silt loam	Favorable	105
	Wauconda silt loam	Favorable	117
	Grays silt loam	Favorable	110
699	Timewell silt loam	Favorable	122

Productivity of Illinois Soils Under Average Management Slightly Eroded, 0 to 2 Percent Slopes

Revised January 1, 2012

			B 810 Productivity
IL map symbol	Soil type name	Subsoil rooting	Index (PI)
Symbol			Average management
700	Westmore silt loam	Favorable	87
701	Menfro - Hickory silt loams	Favorable	97
702	Ruma - Hickory silt loams	Favorable	95
703	Pierron - Burksville silt loams	Favorable	93
705	Buckhart silt loam	Favorable	126
706	Boyer sandy loam	Favorable	88
709	Osceola silt loam	Favorable	101
711	Hatfield silt loam	Favorable	100
712	Spaulding silty clay loam	Favorable	118
713	Judyville fine sandy loam	Unfavorable	57
715	Arrowsmith silt loam	Favorable	124
717	Stockey - Clarksville complex	Favorable	84
718	Marsh	Crop yield data not available	
720	Aetna silt loam	Favorable	118
721	Drummer and Elpaso silty clay loams	Favorable	127
722	Drummer - Milford silty clay loams	Favorable	121
723	Reesville silt loam	Favorable	110
724	Rozetta-Elco silt loams	Favorable	103
725	Otter-Lawson silt loams	Favorable	123
726	Elburn silt loam, sandy substratum	Favorable	120
727	Waukee loam	Favorable	97
728	Winnebago silt loam	Favorable	108
730	Bethesda channery silty clay loam	Crop yield data not available	
731	Nasset silt loam	Favorable	100
732	Appleriver silt loam	Favorable	93
737	Tama silt loam, sandy substratum	Favorable	123
738	Milton silt loam	Unfavorable	57
739	Milton silt loam	Unfavorable	57
740	Darroch silt loam	Favorable	114
741	Oakville fine sand	Favorable	73
742	Dickinson sandy loam, loamy substratum	Favorable	95
743	Ridott silt loam	Favorable	99
745	Shullsburg silt loam	Unfavorable	100
746	Calamine silt loam	Favorable	97
747	Milford silty clay loams	Favorable	113
748	Plano silt loam, sandy substratum	Favorable	119
749	Buckhart silt loam, till substratum	Favorable	126

	Tak	ole 2					
	Productivity of Illinois Soils	Under Average Mana	agement				
	Slightly Eroded, 0	to 2 Percent Slopes					
	Revised January 1, 2012						
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI) Average management				
750	Skelton fine sandy loam	Favorable	93				
751	Crawleyville loam	Favorable	94				
752	Oneco silt loam	Favorable	97				
753	Massbach silt loam	Favorable	98				
754	Fairpoint gravelly clay loam	Crop yield data not available					
755	Lamoille silt loam	Favorable	75				
756	Wyanet fine sandy loam	Favorable	101				
757	Senachwine fine sandy loam	Favorable	90				
759	Udolpho loam, sandy substratum	Favorable	90				
760	Marshan loam, sandy substratum	Favorable	109				
761	Eleva sandy loam	Unfavorable	76				
763	Joslin silt loam	Favorable	115				
764	Coyne fine sandy loam	Favorable	93				
765	Trempealeau silt loam	Favorable	100				
766	Lamartine silt loam	Favorable	118				
767	Prophetstown silt loam	Favorable	122				
768	Backbone loamy sand	Favorable	77				
769	Edmund silt loam	Unfavorable	79				
770	Udolpho loam	Favorable	91				
771	Hayfield loam	Favorable	100				
772	Marshan loam	Favorable	110				
774	Saude loam	Favorable	96				
776	Comfrey clay loam	Favorable	122				
777	Adrian muck	Favorable	97				
779	Chelsea loamy fine sand	Favorable	68				
780	Grellton sandy loam	Favorable	93				
781	Friesland sandy loam	Favorable	105				
782	Juneau silt loam	Favorable	116				
783	Flagler sandy loam	Favorable	85				
784	Berks loam	Unfavorable	56				
785	Lacrescent cobbly silty clay loam	Favorable	73				
	Frondorf loam	Unfavorable	77				
787	Banlic silt loam	Favorable	94				
789#	Ambraw-Ceresco-Sarpy complex	Favorable	97				
	Volney silt loam, bedrock substratum	Unfavorable	76				
791	Rush silt loam	Favorable	96				
792	Bowes silt loam	Favorable	115				
793	Berks, Muskingum and Wiekert soils	Unfavorable	55				
796	Huey-Burksville silt loam	Unfavorable	85				
797	Hickory-Homen silty clay loam	Favorable	87				
799	Arents, loamy	Crop yield data not available					

Table 2						
	Productivity of Illinois Soils U	Inder Average Manage	ement			
		s, silty Crop yield data not available s, loamy Crop yield data not available s, acid Crop yield data not available s, acid Crop yield data not available s, clayey-skeletal Crop yield data not available s, clayey-skeletal Crop yield data not available s, othyey-skeletal Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available s, loamy - skeletal, acid, steep Crop yield data not available apludaffs Crop yield data not available tapludaffs Crop yield data not available s, bedrock subs., silty, pits, complex Crop yield data not available me-Buckhart complex Pravorable Crop yield data not available thon-Hesch fine sandy loam Unfavorable 78 an-Catlin silt loams Favorable 71 an-Catlin silt loams Favorable 76 bin-Casco complex Unfavorable 84 bwn silt loam Favorable 86 bisk silt loam Favorable 86 bisk silt loam Favorable 86 bisk silt loam Favorable 82 g silt loam, Favorable 82 g silt loam, Favorable 82 g silt loam, Favorable 86 bisk silt loam Favorable 88 favorable 99 favorable 99 and Petrolia solls Favorable 99 and Petrolia solls Favorable 99 and Jacob silty clays Favorable 89 favorable 89 favorabl				
	Revised Janu	iary 1, 2012				
IL map	• • •		-			
symbol	Soil type name	Subsoil rooting				
800	Psamments	Crop vield data not available	Average management			
	Orthents, silty	1.5				
	Orthents, loamy					
	Orthents					
	Orthents, acid					
	Orthents, clayey					
	Orthents, clayey-skeletal					
	Aquents-Orthents complex					
	Orthents, sandy-skeletal					
	Orthents, loamy - skeletal, acid, steep					
	Oil-brine damaged land					
	Aquolls					
812	Typic Hapludalfs	Crop yield data not available				
813	Orthents, bedrock subs.,silty, pits, complex	Crop yield data not available				
814	Muscatune-Buckhart complex	Favorable	128			
815	Udorthents, silty	Favorable	95			
816	Stookey-Timula-Orthents complex	Crop yield data not available				
817	Channahon-Hesch fine sandy loam	Unfavorable	78			
818	Flanagan-Catlin silt loams	Favorable	125			
819	Hennepin-Vanmeter complex	Unfavorable	76			
820	Hennepin-Casco complex	Unfavorable	84			
821	Morristown silt loam	Favorable	71			
823	Schuline silt loam	Favorable	86			
824	Swanwick silt loam	Favorable	82			
825	Lenzburg silt loam, acid substratum	Favorable	59			
826	Orthents, silty, acid substratum	Crop yield data not available				
827	Broadwell-Onarga complex	Favorable	112			
	Broadwell-Sparta complex	Favorable	106			
829	Biggsville-Mannon silt loams	Favorable	123			
830	Landfill	Crop yield data not available				
	Menfro - Clarksville complex	Favorable				
833	Menfro - Goss complex	Favorable				
	Wellston - Westmore silt loams		83			
	Earthen dam					
	Hamburg - Lacrescent complex		86			
	Limestone rockland - Lacrescent complex					
	Fayette - Goss complex					
	Zurick and Ozaukee silt loams					
	Carmi - Westland complex					
	Bonnie and Petrolia soils					
	Ava-Blair complex					
	Darwin and Jacob silty clays					
	Kamak and Cape silty clays	Favorable	91			
	Fluvaquents - Orthents complex	Crop yield data not available	100			
	Drummer - Barrington - Mundelein complex	Favorable	123			
849	Milford - Martinton complex	Favorable	114			

	Та	ble 2				
	Productivity of Illinois Soils		agement			
	-	to 2 Percent Slopes				
	Revised January 1, 2012					
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)			
-			Average management			
	Hickory-Hosmer silt loams	Unfavorable	86			
	Mefro-Ursa silt loams	Favorable	95			
	Mefro-Wellston silt loams	Favorable	95			
	Alford-Westmore silt loams	Favorable Favorable	99 105			
	Markham-Ashkum-Beecher complex Menfro - Westmore complex	Favorable	99			
	Timewell and Ipava soils	Favorable	123			
	Ruma-Westmore silt loams	Favorable	96			
	Stookey and Timula soils	Favorable	101			
	Strawn-Hennepin loams	Unfavorable	88			
	Port Byron-Mt. Carroll-Urban land	Crop yield data not available				
	Port Byron-Mt. Carroll silt loams	Favorable	123			
859	Blair-Ursa silt loams	Unfavorable	87			
860#	Hosmer-Ursa silt loams	Unfavorable	87			
860#	Homen - Atlas silt loams	Favorable	90			
861	Ursa-Hickory complex	Unfavorable	78			
862	Pits, sand	Crop yield data not available				
863	Pits, clay	Crop yield data not available				
864	Pits, quarries	Crop yield data not available				
	Pits, gravel	Crop yield data not available				
	Dumps, slurry	Crop yield data not available				
	Oil-waste land	Crop yield data not available				
	Pits, organic	Crop yield data not available				
	Pits, quarries-Orthents complex	Crop yield data not available	100			
	Blake-Beaucoup complex	Favorable Favorable	108			
	Lenzburg silt loam	Favorable	80 97			
	Rapatee silty clay loam Dunbarton-Dubuque complex	Unfavorable	73			
	Dickinson-Hamburg complex	Favorable	93			
	Lenzlo silty clay loam	Favorable	85			
	Lenzwheel silty clay loam	Favorable	75			
	Blake - Slacwater silt loams	Favorable	102			
	Coulterville-Grantfork silty clay loams	Unfavorable	90			
	Coulterville-Darmstadt complex	Unfavorable	92			
	Coulterville-Hoyleton-Darmstadt complex	Unfavorable	94			
882	Oconee-Darmstadt-Coulterville silt loams	Unfavorable	97			
883	Senachwine - Hennepin complex	Favorable	89			
884	Bunkum-Coulterville silty clay loams	Unfavorable	98			
885	Virden-Fosterburg silt loams	Favorable	116			
	Ruma-Ursa silty clay loams	Unfavorable	93			
	Darmstadt-Grantfork complex	Unfavorable	81			
	Passport-Grantfork complex	Unfavorable	83			
	Bluford-Darmstadt complex	Unfavorable	87			
	Ursa-Atlas complex	Unfavorable	78			
	Cisne-Piasa complex	Unfavorable	96 122			
	Sawmill-Lawson complex	Favorable	123			
	Catlin-Saybrook complex Herrick-Biddle-Piasa silt loams	Favorable Unfavorable	120 108			
	Fayette-Westville complex	Unfavorable Favorable	108			
	Wynoose-Huey complex	Unfavorable	83			
	Bunkum-Atlas silty clay loams	Unfavorable	92			
	Hickory-Sylvan complex	Favorable	88			
	Raddle-Sparta complex	Favorable	106			

	Tab	le 2	
	Productivity of Illinois Soils		gement
		to 2 Percent Slopes	gomon
		uary 1, 2012	
IL map	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)
symbol			Average management
900	Hickory-Wellston silt loams	Unfavorable	80
901	Ipava-Osco complex	Favorable	126
902	Ipava-Sable complex	Favorable	126
903	Muskego and Houghton mucks	Favorable	112
904	Muskego and Peotone soils, ponded	Favorable	109
905	NewGlarus-Lamoille complex	Favorable	86
906	Redbud-Hurst silty clay loams	Unfavorable	97
	Redbud-Colp silty clay loams	Unfavorable	96
	Hickory-Kell silt loams	Favorable	83
	Coulterville-Oconee silt loams	Unfavorable	101
910	Timula-Miami complex	Favorable	100
	Timula-Hickory complex	Favorable	93
	Hoyleton-Darmstadt complex	Unfavorable	91
	Marseilles-Hickory complex	Unfavorable	89
	Atlas-Grantfork complex	Unfavorable	80
	Elco-Ursa silt loams	Unfavorable	90
	Darmstadt-Oconee silt loams	Unfavorable	92
		-	-
	Oakville-Tell complex	Favorable	84
	Marseilles-Atlas complex	Unfavorable	89
	Rodman-Fox complex	Unfavorable	83
	Rushville-Huey silt loams	Unfavorable	91
	Faxon-Ripon complex	Favorable	101
	Alford-Hurst silty clay loams	Unfavorable	100
	Urban land-Markham-Ashkum complex	Crop yield data not available	
	Urban land-Milford-Martinton complex	Crop yield data not available	
	Urban land-Frankfort-Bryce complex	Crop yield data not available	
926	Urban land- Drummer-Barrington complex	Crop yield data not available	
927	Blair-Atlas silt loams	Unfavorable	88
928	NewGlarus-Palsgrove silt loams	Favorable	93
929	Ava-Hickory complex	Unfavorable	87
930	Goss-Alford complex	Unfavorable	78
931	Seaton-Goss complex	Unfavorable	87
932	Clinton-El Dara complex	Favorable	100
933	Hickory-Clinton complex	Favorable	92
	Blair-Grantfork complex	Unfavorable	87
	Miami-Hennepin complex	Unfavorable	92
	Fayette-Hickory complex	Favorable	98
	Seaton-Hickory complex	Favorable	96
	Miami-Casco complex	Unfavorable	96
	Rodman-Warsaw complex	Unfavorable	87
	Zanesville-Westmore silt loams	Unfavorable	85
	Virden-Piasa silt loams	Unfavorable	108
-	Seaton-Oakville complex	Favorable	93
	Seaton-Timula silt loams	Favorable	104
		Favorable Unfavorable	
	Velma-Coatsburg silt loams	-	95
	Hickory-High Gap silt loams	Unfavorable	82
	Hickory-Atlas complex		81
	Lamont, Tell and Bloomfield soils	Favorable	88
	Fayette-Clarksville complex	Unfavorable	87
949	Eleroy and Derinda soils	Unfavorable	89

	Та	ble 2				
	Productivity of Illinois Soil	ls Under Average Mar	nagement			
	Slightly Eroded,	0 to 2 Percent Slopes				
	Revised January 1, 2012					
IL map symbol	Soil type name	Subsoil rooting	B 810 Productivity Index (PI)			
-			Average management			
	Dubuque and Palsgrove soils	Unfavorable Favorable	88			
	Palsgrove and Woodbine soils Tell-Lamont complex	Favorable	90 95			
	Hosmer-Lax silt loams	Unfavorable	88			
	Alford-Baxter complex	Favorable	94			
	Muskingum and Berks soils	Unfavorable	59			
	Brandon and Saffell soils	Unfavorable	83			
957	Elco-Atlas silt loams	Unfavorable	91			
958	Hickory and Hennepin soils	Unfavorable	81			
959	Strawn-Chute complex	Favorable	82			
960	Hickory-Sylvan-Fayette silt loams	Favorable	92			
	Burkhardt-Saude complex	Favorable	82			
	Sylvan-Bold complex	Favorable	98			
963	Hickory and Sylvan soils	Favorable	88			
	Hennepin and Miami soils	Unfavorable	88			
	Miami and Hennepin soils	Favorable	92			
	Tallula-Bold silt loams	Favorable	109			
	Miami-Russell silt loams	Favorable	101			
	Hickory-Gosport complex	Unfavorable	79			
	Birkbeck-Miami silt loams	Favorable	105			
	Rodman-Casco complex Keller-Coatsburg complex	Unfavorable Unfavorable	81 95			
	Fishhook-Atlas complex	Unfavorable	84			
	Casco-Fox complex	Unfavorable	93			
	Dubuque and Dunbarton soils	Unfavorable	78			
	Dickinson-Onarga complex	Favorable	94			
	Alvin-Lamont complex	Favorable	93			
	Neotoma-Rock outcrop complex	Crop yield data not available				
	Neotoma-Wellston complex	Unfavorable	74			
978	Wauconda and Beecher silt loams	Favorable	111			
979	Grays and Markham silt loams	Favorable	106			
980	Zurich and Morley silt loams	Favorable	100			
	Wauconda and Frankfort silt loams	Unfavorable	106			
	Aptakisic and Nappanee silt loams	Unfavorable	92			
	Zurich and Nappanee silt loams	Unfavorable	94			
	Barrington and Varna silt loams	Favorable	110			
	Alford-Bold complex	Favorable	103			
	Wellston-Berks complex	Unfavorable	70 77			
	Atlas-Grantfork variant complex	Unfavorable Unfavorable	77 80			
	Westmore-Neotoma complex Mundelein and Elliott soils	Unfavorable Favorable	80 118			
	Stookey-Bodine complex	Unfavorable	90			
	Cisne-Huey complex	Unfavorable	90 90			
	Hoyleton-Tamalco complex	Unfavorable	90			
	Cowden-Piasa complex	Unfavorable	99			
	Oconee-Tamalco complex	Unfavorable	96			
	Herrick-Piasa complex	Unfavorable	107			
	Velma-Walshville complex	Unfavorable	93			
	Hickory-Hennepin complex	Unfavorable	81			
	Hickory-Negley complex	Favorable	86			
	Alford-Hickory complex	Favorable	97			
	# Duplicate IL Map Symbols are in Bo	ld Print (use the appropriate soil	type name)			
	+ Overwash phase					
L						

FAVORABLE SUBSOIL			UNFAVORABLE SUBSOIL				
Percent	Slight	Moderate	Severe	Percent	Slight	Moderate	Severe
of Slope	Erosion	Erosion	Erosion	of Slope	Erosion	Erosion	Erosion
0	1.00	.96	.89	0	1.00	.94	.79
1	1.00	.96	.88	1	1.00	.93	.78
2	1.00	.96	.87	2	1.00	.92	.77
3	.99	.95	.86	3	.99	.91	.76
4	.99	.95	.86	4	.98	.91	.75
5	.98	.94	.85	5	.97	.90	.74
6	.98	.93	.85	6	.96	.89	.73
7	.97	.92	.84	7	.95	.88	.72
8	.96	.91	.83	8	.95	.87	.71
9	.95	.90	.82	9	.94	.86	.70
10	.94	.89	.81	10	.93	.85	.69
11	.93	.88	.80	11	.92	.84	.68
12	.92	.87	.79	12	.91	.83	.67
13	.91	.86	.77	13	.89	.81	.66
14	.90	.85	.76	14	.88	.80	.65
15	.89	.84	.75	15	.87	.79	.64
16	.88	.82	.74	16	.86	.78	.63
17	.87	.81	.73	17	.85	.77	.62
18	.86	.79	.72	18	.83	.76	.60
19	.84	.78	.71	19	.82	.74	.59
20	.83	.76	.69	20	.80	.72	.57
20	.82	.75	.68	21	.00	.72	.56
22	.82	.73	.66	22	.77	.70	.55
22	.78	.73	.64	23	.75	.68	.53
23	.76	.69	.63	24	.73	.66	.51
24	.70	.68	.61	25	.73	.64	.49
26	.74	.08	.60	26	.69	.63	.48
20			.58	20	.69	.61	.46
27	.71 .69	.64 .62	.58	27	.68	.59	.40
				28		.59	.44
29	.67	.60	.54		.64		
30	.65	.58	.52	30	.62	.55	.39
31	.62	.56	.50	31	.59	.52	.38
32	.60	.54	.47	32	.57	.50	.35
33	.58	.52	.45	33	.55	.48	.33
34	.57	.51	.44	34	.53	.47	.32
35	.55	.50	.42	35	.52	.45	.30
36	.53	.48	.40	36	.50	.43	.28
37	.52	.47	.39	37	.49	.42	.27
38	.51	.45	.38	38	.48	.41	.26
39	.50	.45	.37	39	.47	.40	.25
40	.49	.44	.36	40	.46	.39	.24
41	.48	.43	.35	41	.45	.38	.23
42	.47	.42	.34	42	.44	.37	.22
43	.46	.42	.33	43	.43	.36	.22

BULLETIN 810 SLOPE & EROSION ADJUSTMENT TABLE
Assessment of Farm Homesites and Rural Residential Land

A farm homesite is the part of the farm parcel used for residential purposes and includes the lawn and land on which the residence and garage are situated. Areas in gardens, non-commercial orchards, and similar uses of land are also included.

Rural residential land may include farmland that is incidental to the primary residential use. It is generally comparable in value to the farm homesite. Both are subject to the state equalization factor and both should be assessed at the same percentage of market value as urban property. Whenever possible, use the sales comparison approach to value farm homesites and rural residential land.

Assessment of farm residences

Assess farm residences according to market value in the same manner as urban residences are assessed. Refer to the Residential section of the Publication 123, Instructions for Residential Schedules, for valuation of farm residences.

Assessment of farm buildings

The valuation of farm buildings is the final component in the assessment of farm real estate. The law requires farm buildings, which contribute in whole or in part to the operation of the farm, to be assessed as part of the farm. They are valued upon the current use of those buildings and their respective contribution to the productivity of the farm. Farm buildings are assessed at $33^{1/3}$ percent of their contributory value. The state equalization factor is not applied to farm buildings.

Valuation of farm buildings based upon contribution relies on theory as well as reality. Farm buildings are usually an integral part of the farm. When farms are sold, the land and improvements are valued together. The portion of this value attributable to farm buildings depends upon the degree to which they contribute to farming operations. Some farm buildings, even though they are in good physical condition, may play a minor role in the operation of the farm and have little value. These same buildings on another farm may be vitally important to the farming operation. The value of the farm buildings in these two instances is different.

The sales comparison, or market approach, and income approach to value are difficult to apply. The sales comparison, or market approach, is inadequate because farm buildings are rarely sold in isolation. The land and buildings are considered together in valuing the farm. The same problem arises in using the income approach. It is difficult to attribute a portion of the farm income solely to the buildings.

Value must be based on cost. This entails a third problem – depreciation. Since most farm buildings are constructed in the hopes of increasing efficiency or productivity, the undepreciated cost of the building will approximate market value when the building is new. The undepreciated cost of the building may be quite different than the value as the building ages. This difference between actual cost of replacement and the value of the building is **depreciation**.

Replacement cost is the cost of replacing an existing structure with an equally desirable structure having similar, if not the same, utility. The difference between replacement cost and **reproduction cost** is essentially that reproduction cost is the cost of constructing a replica of the building with the same design, materials, and quality of workmanship, while replacement cost is the cost of a contemporary building of equal utility. The concept of replacement cost evolves from the **Principle of Substitution** that value of property is no more than the cost of acquiring an equally desirable substitute. Replacement cost is the upper limit of building value.

Depreciation is the difference between the replacement cost new (RCN) and current value. Depreciation can be in the form of physical deterioration, functional obsolescence, or economic obsolescence.

Physical deterioration is a loss in the physical ability of a building to withstand normal use. Deterioration results from use, wear and tear, structural defects, and decay. Physical depreciation is observable and identifiable.

Functional obsolescence is a loss in value due to characteristics of the building which cause a failure of the building to serve the purpose for which it was intended. Inadequacy may result from poor design, surplus capacity, and changes in farming techniques. Functional inadequacy causes a loss in desirability and usefulness.

Economic obsolescence is a loss in value due to changes in the economic environment of the farm. Economic obsolescence results from external influences such as land-use changes, government regulations, and farm market conditions. Economic obsolescence causes loss in desirability and utility.

Depreciation reflects loss in value due to all possible factors. Value of contribution to productivity can be determined by deducting all depreciation from replacement costs. This value will reflect such factors as improper design (functional obsolescence), neglect of repairs (physical deterioration), and more stringent government regulations (economic obsolescence).

Estimation of farm buildings' contribution to the operation of the farm first requires a thorough inspection of the buildings. The inspection should include the structural components of the buildings and their functional capacity. Record the following structural details:

- measurements,
- excavation,
- foundation,
- framing exterior walls,
- floors,
- roof,

- interior partitions,
- electric wiring,
- plumbing,
- heating,
- ventilation,
- built-in equipment, and
- any other permanent features.

Functional features to note include:

- relative location,
- current use,
- capacity (e.g. too large, too small),
- design, and
- other possible uses.

Physical deterioration is observed during the inspection of the property. Economic obsolescence will require investigation into such factors as government regulation changes, current market fluctuations, and any land use changes of the surrounding property.

The cost tables in this section are provided as an aid in the development of replacement costs of typical farm buildings. The application of the cost tables is much the same as the cost tables in other sections of the manual. Select the costs for a comparable building and adjust this cost for variations from the model buildings.

To estimate the farm building's contribution to productivity of the farm, follow the procedure below.

Step 1

Estimate RCN of the building, in its current use.

- Measure the square feet of area being used.
- Decide the type of structure that provides the same utility for the current use.
- Multiply the square foot area by the replacement cost per square foot for a building of the same utility.

This step in the procedure allows for both function and economic depreciation. Remember that the existing type of structure may well provide the highest utility.

Step 2

Estimate the remaining physical life of the existing structure. This step allows for physical depreciation.

Step 3

Compute remaining economic life (REL) factor.

- Select a typical life expectancy figure from the typical life expectancies table on Page 42 for the existing structure.
- Divide the remaining physical life by typical life expectancy, giving REL.

Step 4

Multiply the RCN by the REL factor to find the value of the farm building according to its contribution to the productivity of the farm. **Remember, this procedure does not apply to farm residences.**

Cost Adjustment

These schedules were developed for use throughout central Illinois. Use local cost factors to reflect local differences in replacement costs.

Additional Schedules

Additional cost schedules for grain elevators and other larger facilities or structures may be found in Publication 126, Instructions for Commercial and Industrial Cost Schedules. Adjustments for additional features not included on the following cost schedules may be found in Publication 127, Component-in-Place Schedules.

Summary

Since the passage of the Farmland Assessment Law (P.A. 82-121) in 1981, the assessment of farmland has been based upon net income to the farmland as determined by land productivity and use. Land use is determined through the use of aerial photographs and visual inspection. Land productivity is determined through the use of soil maps, productivity indexes, and all other available data.

Farmland is separated into the four categories — cropland, permanent pasture, other farmland, and wasteland. Cropland, permanent pasture, and other farmland are assessed based upon PI which involves the identification of soil types; selection of PIs for average level management; adjustment of PIs for slope, erosion, and subsoil conditions; measurement of areas of soil types; selection of per acre assessed values for individual soil types or for weighted PIs from the table of values certified each year by the Illinois Department of Revenue; adjustment of assessed values for land use; and summation of assessed values for all farmland. Wasteland is assessed based on its contributory value.

Rural residential land and farm homesites are appraised according to market value. Customary appraisal procedures, such as the sales comparison, or market, approach and the income approach, are used in the valuation of these types of rural land. Farm residences are valued as part of the farm, using the same methodology as urban residences.

Farm buildings are valued according to current use and contribution to the productivity of the farm. All buildings are inspected, measured, and sketched on a property record card (PRC). In most cases, they are shown in the sketch space in their proper relative location to each other. Buildings are numbered consecutively with the number designation carried over to a summary of buildings, types, sizes, general descriptions, and tabulation of values.

Building replacement costs are computed from cost schedules developed for each type of structure and used uniformly throughout the jurisdiction. Depreciation allowances are carefully determined based upon the condition, desirability, and degree of usefulness of each structure. The total of all building valuations should represent the value which their presence contributes to the productivity of the farm.

General Purpose Barns

			rns (per Sl ' eave heigh			
Floor - dirt; Electric	: Foundation - cond and wiring - minima wo or less stalls and	al service;	Plumbing	- two or less cold w		
	Wood Frame	Mas	onry	Steel Frame	Pole Frame	
Base Price	\$24.09		\$30.44	\$23.26	\$20.24	
+/_ for each eave height variance	\$0.33		\$0.63	\$0.31	\$0.55	
are board and batte	he following basic e en, wood siding or s average quality brid	tandard g				
		-	tments SF)			
Continuous concret foundation and foot		\$1.56	Gambrel	style roof	\$1.39	
Concrete floor		\$3.80	Gothic sty	/le roof	\$2.09	
No electricity		-\$1.05	Wood floor loft \$8.32 (per SF loft area)			
+ or – for no water or extensive water		\$0.29				
		Size Adjı	ustments			
Floor Area	Fac	tor	F	loor Area	Factor	
1,000		1.000	5,000		0.631	
1,500		0.865	5,500		0.619	
2,000		0.796		6,000	0.614	
2,500		0.748		7,000	0.606	
3,000		0.725				
3,500		0.699	99 9,000 0.580			
4,000		0.680		10,000	0.580	
4,500		0.651				

			ns (per S ' eave heigh			
Floor - dirt; Electric		al service;	Plumbing	ers; Roof - double pit - two or less cold wa m.		
	Wood Frame	Mas	onry	Steel Frame	Pole Frame	
Base Price	\$19.01		\$25.62	\$18.36	\$17.01	
+/_ for each eave height variance	\$0.20		\$0.40	\$0.19	\$0.46	
are board and batte	_	tandard g ck.		frame, steel frame, a ugated metal. Maso	-	
		-	SF)			
Continuous concrete \$0.7 foundation and footings			Gambrel style roof \$0.7			
Concrete floor		\$1.90	Gothic sty	\$1.05		
No electricity	No electricity -\$1.0			Wood floor loft \$8.32 (per SF loft area)		
+ or – for no water or extensive water		\$0.29				
		Size Adjı	ustments			
Floor Area	a Fac	tor	F	loor Area	Factor	
2,000		1.000		7,000	0.724	
3,000		0.879		8,000	0.708	
4,000		0.811			0.679	
4,400		0.793			0.655	
5,000		0.779				
5,600		0.754				
6,000		0.745		15,000	0.625	

Typical life expectancies

Grain bins30Silos30Barns30Stables30Poultry houses20Confinement barns20Equipment storage sheds20Miscellaneous sheds15Pole buildings20Dairy barns30Corn cribs15

Sample Appraisal - Barn

Subject – Two-story barn		
Grade – C		
Remaining physical life – 15 years		
Specifications – 34' x 60' x 20' height to eaves, no electricity Foundation – concrete wall and footings		
Walls – Vertical wood siding on wood framing, wood sash windows, and wood batten doors		
Floor – Concrete		
Stop 1 Dage equera fact price from echodule	\$	10.01
Step 1 — Base square foot price from schedule	Ф	19.01
Step 2 — Base price adjustments		0.70
Foundation, continuous concrete wall		0.78
Floors main floor concrete		1.90
Electricity and wiring, no service	^	-1.05
Total	\$	20.64
Step 3 — Wall height adjustment		
Base price includes a 10' avg. story height, subject 20' two-story, no adjustment		
Step 4 — Size adjustment percentage		
Calculate SFFA.		
$34' \times 60' \times 2 = 4,080 \text{ SF}$		044
Use the size adjustments table to find the adjustment percentage for 4,080 SF	X	.811
Total base price	\$	16.74
Step 5 — Replacement cost new		4.000
Multiply total base price by the SFFA to obtain replacement cost new	X	4,080
	\$68	3,299.20
Step 6 — REL factor		
Divide the remaining physical life by the typical life from the Typical life expectancy table.		
15 years ÷ 30 years = 0.50 REL factor		
Step 7 — Full value of the building		
Multiply the REL factor by the RCN from Step 5 to find the full value	х	0.50
—	\$34	,149.60

	Pole Frame Buildings Per SF of ground area															
	Base price is for pole buildings with wood poles 15' to 20' o.c.; wood truss roof; wood or metal siding; earth loor; one large sliding door; one service (walk-in) door, and minimum electric.															
Туре	Eave Ht.	600	850	1000	1200	1500	2000	2500	3000	4000	5000	6000	7000	8000	9000	10000
	8'	16.36	14.29	13.24	12.37	7 11.86	11.61	10.79	10.65	10.10	9.92	9.65	9.47	9.31	9.21	9.03
	10'	17.65	15.37	14.22	13.26	6 12.69	12.34	11.45	11.24	10.64	10.39	10.09	9.89	9.72	9.60	9.38
Four sides	12'	18.94	16.45	15.20	14.15	5 13.52	13.07	12.11	11.83	11.18	10.86	10.53	10.31	10.13	9.99	9.73
closed	14'	20.23	17.53	16.18	15.04	4 14.35	13.80	12.77	12.42	11.72	11.33	10.97	10.73	10.54	10.38	10.08
	16'	21.52	18.61	17.16	15.93	3 15.18	14.53	13.43	13.01	12.26	11.80	11.41	11.15	10.95	10.77	10.43
	18'	22.81	19.69	18.14	16.82	2 16.01	15.26	14.09	13.60	12.80	12.27	11.85	11.57	11.36	11.16	10.78
	8'	12.10	11.19	10.84	10.39	9.91	9.08	8.98	8.88	8.78	8.68	8.64	8.60	8.52	8.46	8.38
	10'	13.12	12.05	11.62	11.12	2 10.55	9.63	9.41	9.33	9.22	9.11	9.01	8.90	8.80	8.73	8.63
One side	12'	14.14	12.91	12.40	11.85	5 11.19	10.18	9.98	9.78	9.63	9.48	9.33	9.20	9.08	9.00	8.88
open	14'	15.16	13.77	13.18	12.58	3 11.83	10.73	10.49	10.23	10.04	9.84	9.65	9.50	9.36	9.27	9.13
opon	16'	16.18	14.63	13.96	13.31	12.47	11.28	10.98	10.68	10.44	10.20	9.97	9.80	9.64	9.54	9.38
	18'	17.20	15.49	14.74	14.04	13.11	11.83	11.57	11.13	10.85	10.57	10.29	10.10	9.92	9.81	9.63
	8'	7.55	7.28	7.16	7.07	7.01	7.00	7.00	6.98	6.96	6.94	6.93	6.90	6.88	6.86	6.85
	10'	7.66	7.36	7.24	7.15	5 7.08	7.06	7.05	7.02	7.00	6.98	6.96	6.93	6.91	6.89	6.88
Four sides	12'	7.77	7.44	7.32	7.23	3 7.15	7.12	7.10	7.06	7.04	7.02	6.99	6.96	6.94	6.92	6.91
open	14'	7.88	7.52	7.40	7.31	7.22	7.18	7.15	7.10	7.08	7.06	7.02	6.99	6.97	6.95	6.94
•	16'	7.99	7.60	7.48	7.39	7.29	7.24	7.20	7.14	7.12	7.10	7.05	7.02	7.00	6.98	6.97
	18'	8.10	7.68	7.56	7.47	7.36	7.30	7.25	7.18	7.16	7.14	7.08	7.05	7.03	7.01	7.00
bas	Floor sed on		tment F floor					adjust on buil						djustr SF of d		ea
Concre	ete Floo	or – 4"		\$3.	80 Ir						\$19.00					
Crushe	ed Rocl	≺ – 4"		\$0.	64 N					\$47.25						
Asphal	t – 2"			\$2.		Vater se				\$0.				,		-
•					S	pace he	eaters			\$1.						

Lean-tos						
	foundation, vertical sidin	č				
Walls; shed type root of Walls from 8' to 12' rise.	single pitch; earth floor; average 10' at center.	minimum electric.				
SF Area	Wood Frame	Pole Frame				
240	\$11.69	\$8.32				
300	\$10.19	\$7.34				
400	\$10.10	\$7.25				
500	\$9.96	\$7.16				
600	\$9.87	\$6.94				
800	\$9.42	\$6.76				
1,000	\$9.10	\$6.53				
1,200	\$8.55	\$6.13				
1,400	\$8.19	\$5.91				
A	djustments to base cos	st				
Concrete floor & foundation						
No electric	-\$0.66					
Height adjustment for e	ach foot avg. +/-	\$0.43				

Wood frame corn cribs							
Foundation – concrete walls and footings; Walls – spaced boards on wood frame; Roof – Gable style roof with composition wood shingles; Drive through; No mechanicals.							
SF Ground Area	Wood spaced boards on wood frame	Wire mesh on wood frame					
80		\$34.17					
100		\$33.42					
150		\$26.56					
175		\$25.19					
200		\$22.70					
250		\$21.95					
300	\$44.64	\$21.43					
400	\$39.59	\$20.82					
500	\$34.44	\$19.69					
700	\$30.08						
1,000	\$29.26						
1,500	\$28.03						
2,000	\$24.89						
2,500	\$21.07						

Poultry buildings

Single-story egg laying buildings (SFFA) Based on 8' eave height

Base price includes concrete or masonry foundation; concrete slab floor with manure trenches; gable roof; electrical wiring and lighting.

	Construction Type										
SF Floor Area	Wood Frame	+/- per foot	Masonry	+/- per foot	Steel Frame	+/- per foot	Pole Frame	+/- per foot			
1,000	\$23.65	\$0.65	\$29.88	\$0.82	\$22.84	\$0.63	\$19.87	\$0.55			
1,500	\$21.29	\$0.54	\$26.90	\$0.68	\$20.56	\$0.52	\$17.89	\$0.45			
2,000	\$20.09	\$0.48	\$25.39	\$0.61	\$19.40	\$0.46	\$16.88	\$0.40			
3,000	\$19.21	\$0.40	\$24.27	\$0.51	\$18.55	\$0.39	\$16.14	\$0.34			
4,000	\$18.58	\$0.37	\$23.48	\$0.47	\$17.94	\$0.36	\$15.61	\$0.31			
5,000	\$17.79	\$0.31	\$22.48	\$0.39	\$17.18	\$0.30	\$14.95	\$0.26			
7,500	\$17.09	\$0.26	\$21.59	\$0.33	\$16.50	\$0.25	\$14.36	\$0.22			
10,000	\$16.93	\$0.22	\$21.31	\$0.28	\$16.35	\$0.21	\$14.22	\$0.18			
15,000	\$16.76	\$0.19	\$21.18	\$0.24	\$16.18	\$0.18	\$14.08	\$0.16			
20,000	\$16.60	\$0.17	\$20.98	\$0.21	\$16.03	\$0.16	\$13.95	\$0.14			
25,000	\$16.46	\$0.15	\$20.80	\$0.19	\$15.89	\$0.14	\$13.83	\$0.13			
>25,000	\$16.36	\$0.14	\$20.67	\$0.18	\$15.80	\$0.14	\$13.75	\$0.12			
Add or sub each foot o		+/- per ft		+/- per ft		+/- per ft		+/- per ft			
			Additional	adjustment	s per SFFA						
Cage equipment systems include single deck \$11.92 per SFFA cages, V trough watering and feeding systems, and fogging cooling.											
	atic feeders, system, add cost.	•				\$6.34 per \$	SFFA				

Multi-story egg laying buildings (based on ground SF) Based on 8' average height per story

Base price includes concrete or masonry foundation; concrete slab floor with manure trenches on 1st floor and wood plank or wire cage catwalk upper floors; gable roof; electrical wiring and lighting.

For multi-story buildings, use 40% of the base SF cost from the single-story cost tables for each story over one.

Single-story broiler buildings (SFFA) Based on 8' eave height

Base price includes dirt floor, galvanized metal or wood siding on frame, partial curtain wall, insulated walls and ceiling, gable roof, electrical wiring and lighting, water service, and some subdivision.

	Construc	tion Type				
SF Floor Area	Steel Frame	Pole frame				
1,000	\$17.58	\$14.77				
1,500	\$15.75	\$13.23				
2,000	\$14.97	\$12.58				
3,000	\$14.12	\$11.86				
4,000	\$13.66	\$11.48				
5,000	\$13.08	\$10.99				
7,500	\$12.45	\$10.46				
10,000	\$11.91	\$10.01				
15,000	\$11.47	\$9.64				
20,000	\$11.16	\$9.38				
25,000	\$10.91	\$9.17				
30,000	\$10.84	\$9.11				
40,000	\$10.77	\$9.05				
>40,000	\$10.68	\$8.97				
Add or subtract for each foot of height	\$0.24	\$0.22				
Additional adjustments per SFFA						
Equipment systems include feeders, wa	aterers, suspended					
infrared heaters, curtains, automatic ver	ntilation control	\$7.20 per SFFA				

Steel frame round wire mesh corn cribs							
Diameter	Height to eave	Bushel capacity	Cost each				
10'	12'	315	\$1,100				
	16'	419	\$1,400				
	20'	524	\$1,700				
12'	12'	452	\$1,500				
	16'	603	\$1,900				
	20'	754	\$2,300				
	24'	905	\$2,800				
14'	16'	821	\$2,600				
	20'	1,026	\$3,200				
	24'	1,232	\$3,800				
16'	16'	1,072	\$3,300				
	20'	1,340	\$4,100				
	24'	1,609	\$4,900				
	28'	1,876	\$5,700				

Concrete liquid manure tanks						
Size Cubic feet	Gallon capacity	Cost each				
4,000	30,000	\$18,500				
8,000	60,000	\$37,100				
12,000	90,000	\$66,800				
16,000	120,000	\$80,000				

Confinement buildings

Swine farrowing barns Based on 10' eave height								
	oncrete or masonry fou ; insulation, vents, and	-	ab floor; gable roof; el	ectrical wiring and				
SF Floor Area	Construction Type							
of Thoor Area	Wood Frame Masonry		Steel Frame	Pole Frame				
800	\$47.16	\$54.66	\$44.80	\$40.09				
1,000	\$44.38	\$51.52	\$42.16	\$37.72				
1,500	\$41.59	\$47.55	\$39.51	\$35.35				
2,000	\$40.20	\$45.11	\$38.19	\$34.17				
2,400	\$39.62	\$44.22	\$37.64	\$33.68				
3,000	\$39.02	\$43.53	\$37.07	\$33.17				
4,000	\$38.16	\$42.59	\$36.25	\$32.44				
5,000	\$35.48	\$39.82	\$33.71	\$30.16				
6,000	\$34.96	\$39.21	\$33.21	\$29.72				
8,000	\$34.50	\$38.66	\$32.78	\$29.33				
10,000	\$34.10	\$38.17	\$32.40	\$28.99				
12,000	\$32.92	\$36.92	\$31.27	\$27.98				
15,000	\$32.68	\$36.58	\$31.05	\$27.78				
20,000	\$32.41	\$36.21	\$30.79	\$27.55				
25,000	\$32.25	\$35.95	\$30.64	\$27.41				
30,000 and higher	\$32.14	\$35.74	\$30.53	\$27.32				
Add or subtract for each foot of height	\$0.72	\$1.37	\$0.70	\$0.98				
		Adjustments						
Concrete slotted floor	per SF			\$5.74				
Equipment of crates,	Equipment of crates, waterers, and feeder per SFFA							
Pit, 6' deep per SF				\$19.33				

		ne finishing barns ed on 10' eave heigh				
	oncrete or masonry fou ; insulation, vents, and	-	ab floor; gable roof; el	ectrical wiring and		
SF Floor Area	Construction Type					
SF FIUUI Alea	Wood Frame	Masonry	Steel Frame	Pole Frame		
800	\$38.28	\$45.78	\$35.92	\$31.21		
1,000	\$35.19	\$42.33	\$32.97	\$28.53		
1,500	\$32.61	\$38.57	\$30.53	\$26.37		
2,000	\$31.32	\$36.23	\$29.31	\$25.29		
2,400	\$30.73	\$35.33	\$28.75	\$24.79		
3,000	\$30.03	\$34.54	\$28.08	\$24.18		
4,000	\$29.28	\$33.71	\$27.37	\$23.56		
5,000	\$26.53	\$30.87	\$24.76	\$21.21		
6,000	\$26.08	\$30.33	\$24.33	\$20.84		
8,000	\$25.62	\$29.78	\$23.90	\$20.45		
10,000	\$25.22	\$29.29	\$23.52	\$20.11		
12,000	\$24.04	\$28.04	\$22.39	\$19.10		
15,000	\$23.78	\$27.68	\$22.15	\$18.88		
20,000	\$23.53	\$27.33	\$21.91	\$18.67		
25,000	\$23.36	\$27.06	\$21.75	\$18.52		
30,000 and higher	\$23.26	\$26.86	\$21.65	\$18.44		
Add or subtract for each foot of height	\$0.72	\$1.37	\$0.70	\$0.98		
		Adjustments				
Concrete slotted floor	per SF			\$6.02		
Equipment of crates,	waterers, and feeder p	er SFFA		\$5.35		
Pit, 6' deep per SF				\$19.33		

Steel grain bins Includes concrete slab floor							
Diameter	Height	Bushel capacity	Cost	Diameter	Height	Bushel capacity	Cost
15'	11'	1,562	\$7,000	36'	18'	14,723	\$30,600
	15'	2,130	\$8,400		22'	17,995	\$35,200
	18'	2,556	\$9,500		26'	21,267	\$39,200
18'	11'	2,249	\$7,900		33'	26,993	\$43,900
	15'	3,067	\$9,700		40'	32,719	\$48,600
	18'	3,681	\$10,900		48'	39,262	\$55,100
	22'	4,499	\$12,600	42'	18'	20,040	\$40,600
	26'	5,317	\$14,100		22'	24,494	\$45,400
	33'	6,544	\$17,400		26'	28,947	\$48,900
	40'	8,180	\$20,600		33'	36,740	\$56,800
21'	15'	4,175	\$11,200		40'	44,534	\$66,200
	18'	5,010	\$13,400		48'	53,441	\$76,700
	22'	6,123	\$15,500	48'	18'	26,715	\$49,500
	26'	7,237	\$17,200		22'	31,992	\$56,300
	33'	9,185	\$21,200		26'	37,808	\$63,100
	40'	11,133	\$23,800		33'	47,987	\$76,200
24'	15'	5,453	\$13,300		40'	58,167	\$89,400
	18'	6,544	\$16,200		48'	69,800	\$103,000
	22'	7,998	\$18,600	60'	26'	59,075	\$98,000
	26'	9,452	\$21,000		40'	90,885	\$137,800
	33'	11,997	\$24,700		48'	109,062	\$157,600
	40'	14,542	\$27,500		60'	136,328	\$191,400
27'	15'	6,902	\$16,000	75'	33'	117,157	\$191,900
	18'	8,282	\$18,800		40'	142,008	\$221,100
	22'	10,122	\$21,300		48'	170,410	\$254,900
	26'	11,963	\$24,000		60'	213,012	\$301,300
	33'	15,184	\$29,400	90'	33'	168,706	\$279,800
	40'	18,404	\$31,800		40'	204,492	\$320,400
30'	18'	10,225	\$22,400		48'	245,390	\$369,500
	22'	12,497	\$25,400		60'	306,738	\$436,900
	26'	14,769	\$28,400	105'	33'	229,627	\$387,900
	33'	18,745	\$33,600		40'	278,336	\$444,600
	40'	22,721	\$37,000		48'	334,003	\$513,200
	48'	27,266	\$39,700		60'	417,504	\$603,200
		I	Adjust	ments		1	
eration syste	ems		-	Add \$0.14 pe	r bushel		
Pryer Bins						actor by 1.46*	
adder, eave	height 20' or	less		\$14.50 per lir			
adder, eave	•			\$27.00 per lir			

*Only add for bins with eave height of less than 20'.

Steel silos – Glass lined			Steel silos – Non-glass lined		
Includes concrete foundation, steel roof, breather bag, ladder, and platform.		el roof, breather	Includes concrete foundation, steel roof, ladder, and platform.		
Diameter	Height	Cost	Diameter	Height	Cost
14'	30'	\$37,500	14'	30'	\$23,700
	40'	\$46,400		40'	\$29,300
	50'	\$52,500		50'	\$33,100
Add for sweep ar	rm auger	\$5,250	Add for sweep a	Add for sweep arm auger	
17'	30'	\$48,000	17'	30'	\$29,000
	40'	\$55,200		40'	\$33,400
	50'	\$60,000		50'	\$36,300
Add for sweep ar	rm auger	\$5,250	Add for sweep a	Add for sweep arm auger	
20'	30'	\$56,100	20'	30'	\$36,500
	40'	\$66,800		40'	\$43,500
	50'	\$75,500		50'	\$49,200
	60'	\$84,000		60'	\$54,700
	70'	\$97,300		70'	\$63,300
	80'	\$110,400		80'	\$71,900
	90'	\$123,300		90'	\$80,300
Add for sweep ar	rm auger	\$5,250	Add for sweep arm auger		\$5,250
Add for chain unl	loader	\$37,500	Add for chain unloader		\$37,500
25'	40'	\$110,000	25'	40'	\$74,900
	50'	\$127,000		50'	\$86,500
	60'	\$130,800		60'	\$89,100
	70'	\$145,600		70'	\$99,200
	80'	\$162,400		80'	\$110,600
	90'	\$180,900		90'	\$123,200
Add for chain unloader		\$42,500	Add for chain unl	oader	\$42,500

Concrete silos Per foot of height, includes concrete foundation.				
Diameter	Stave	Poured	Add for unloader	
12'	\$400	\$570	\$9,500	
14'	\$450	\$650	\$9,900	
16'	\$460	\$670	\$10,500	
18'	\$500	\$720	\$11,000	
20'	\$560	\$810	\$11,500	
24'	\$740	\$1,070	\$12,750	
30'	\$1,000	\$1,360	\$13,500	

Quonset buildings per SFFA				
Base cost includes continuous concrete foundation, slab floor, galvanized steel arched frame, windows, 12' sliding door, personnel door, unfinished interior, adequate electrical wiring, lighting, and water service.				
SF Floor Area	Cost			
400	\$34.84			
600	\$27.96			
1,000	\$26.40			
1,500	\$23.78			
2,400	\$21.05			
3,000 \$20.05				
4,000 \$18.88				
5,000 \$17.11				
6,000 \$15.94				
8,000 \$15.54				
10,000 \$15.28				
12,000	\$15.10			
15,000	\$15.01			
20,000	\$14.76			
25,000 or more	\$14.61			
Adjustments				
No concrete slab floor -\$3.80				
No electric -\$0.93				
No water service -\$0.44				

Hoop Buildings per SFFA

Base price includes dirt floor; continuous concrete or pole frame foundation; no knee wall or 2.5' knee wall of concrete or pole frame with plywood; hoop frames of 14-gauge structural steel tubing spaced 5' with 10 oz. 22 mil polyethylene cover; no electrical wiring or lighting; no water service.

	Construction Type				
SF Floor Area	Pole frame with 2.5' plywood knee wall	Continuous concrete foundation without knee wall	Continuous concrete foundation with 2.5' knee wall		
400	\$13.41	\$16.20	\$17.18		
600	\$11.86	\$15.15	\$16.13		
1,000	\$10.45	\$13.18	\$13.97		
1,500	\$9.26	\$12.12	\$12.91		
2,400	\$7.94	\$10.46	\$11.12		
3,000	\$6.85	\$9.41	\$10.07		
4,000	\$6.69	\$8.90	\$9.45		
5,000	\$6.61	\$8.65	\$9.14		
6,000	\$6.60	\$8.65	\$9.14		
8,000	\$6.60	\$8.65	\$9.14		
10,000	\$6.59	\$8.65	\$9.14		
12,000	\$6.45	\$8.19	\$8.58		
15,000	\$6.45	\$8.19	\$8.58		
20,000	\$6.44	\$8.19	\$8.58		
25,000+	\$6.44	\$8.19	\$8.58		
	Adjust	ments			
Standard solid end panel,	per LF of wall		\$19.13		
Standard zipped end pane	I for entry, per LF of wall		\$28.17		
Concrete floor, per SF			\$3.80		
Electricity & lights, per SF			\$0.92		
Water service, per SF			\$0.41		

Greenhouses per SFFA

Base price includes gravel floor with some concrete; light concrete foundation; no knee wall; glass, fiberglass, or polycarbonate covering; some vents, adequate electrical wiring and water service.

	Construction Type				
SF Floor Area	Straight-wall structures: Wood	Straight-wall structures: Steel	Hoop arch-rib structures: Steel		
400	\$16.47	\$15.87	\$14.45		
1,000	\$14.11	\$13.59	\$12.38		
2,400	\$10.34	\$9.96	\$9.07		
4 000	¢0.00	¢0.50	ф л л л		
4,000	\$8.86	\$8.53	\$7.77		
6,000	\$8.27	\$7.97	\$7.25		
	, , , , , , , , , ,		· · · · · · · · · · · · · · · · · · ·		
10,000	\$7.80	\$7.51	\$6.84		
15,000	\$7.51	\$7.23	\$6.59		
25,000+	\$7.11	\$6.85	\$6.24		
	Adjust	ments			
Full concrete floor replacing gravel, per SF\$2					
No electricity, per SF -\$					
Minimum electrical, per SF -\$0					
Better than typical electrical, per SF\$0.5					
Better than typical water service, per SF\$0.49					
Knee wall for hoop arch-rib structure, per SF\$0.80					

For information or forms

Visit our website at **tax.illinois.gov**.